# **GMT EXTRA**

The classic range

ssi-schaefer.com

**ALWAYS A STEP AHEAD** 



**451 SCHAFER** 

# **GMT eXtra**

#### 120 - 240 litres

#### Standard version

- Made of High Density Polyethylene (HDPE)
- Excellent equipment for the latest emptying devices
- Trouble-free use
- Long service life
- Integrated chipnest for transponder
- Reinforced wheel housing and wheel support
- Various versions available: from standard bin to the thoroughly ventilated version
- UV-stabilised
- Ergonomically positioned handles
- Lid with surrounding drip edge for condensation

- Manufactured according to DIN EN 840 -1, -5 and -6
- RAL Quality Mark approved acc. to RAL-GZ 951 / 1 for highest quality
- Axle made of quenched and tempered steel
- External wheels (not integrated) for high stability
- Noise reduced <92dbA according to the EU Directive 2000 / 14 / EG
- Lid opening cushioning by means of the 4 point hinges
- Additional supporting rib



#### **Extras**


- Lid with 2 point hinges
- GMT eXtra 120 S and 240 S with reinforcing ribs on the base
- Gravity locks
- Aperture for document insertion
- Ergolid System: Ergonomic handles for easy opening of the lid from every position. The larger lid surface is particularly suitable for large detailed embossing
- Bin with one piece tubular handle
- Waste stream identification using the "ergolid-clip" allows easy and cost effective waste stream changes

### Exclusively for GMT eXtra 180 litres

- Integrated foothold
- 250 mm wheels for improved handling
- Greater strength due to additional profiling on the side walls

GMT eXtra	120 l	140 l	180 I	240 l
Width mm (W)	505 max.	505 max.	505 max.	580 +5/-5
Height mm (H)	1,005 max.	1,100 max.	1,100 max.	1,100 max.
Depth mm (D)	555 max.	555 max.	755 max.	740 max.
Nominal volume I	120 +8/-6	140 +6/-12	180 +40/-10	240 +15/-5
Payload kg	48	56	72	96
Wheel - Ø mm	200	200	200/250	200

All dimensions are nominal in accordance with DIN EN 840, colours are subject to deviation.



#### Standard bin colours

Black grey

Red to RAL-Design 040 40 67 Rape yellow RAL 1021 Pale brown RAL 8025 Green to RAL-Design 150 40 20 (140 40 20) Blue to RAL-Design 270 40 40



Robust wall construction GMT eXtra 120, 140, 240 l



Robust wall construction GMT eXtra



Lid with 2 point hinges



GMT eXtra 120 S und 240 S with reinforced base



Lid type Ergolid with clip



Reinforced lifting comb



## ssi-schaefer.com











