

SSI ORDER VERIFIER



KEY FACTS

FUNCTION

The SSI Order Verifier can be operated in manual or automatic mode. In a first step, the incoming order totes are unloaded onto the conveyor. The articles from the totes are then separated using an innovative system of conveyors. At the adjacent reading station the individual articles are scanned and documented. Depending on the requirements of the client, the system recognizes 1D bar codes and/or 2D data matrix codes, as well as RFID tags. Finally, the articles are brought together again according to the orders.

DESIGN OPTIONS

In order to fully meet customer requirements, product counting, assignment of the order in the higher-level warehouse management system WMS and photographic shipping documentation are offered as an option.

Furthermore, product separation and the reading station are individually tailored to the order structure.

TECHNICAL DATA

- ▶ Automatic identification and documentation
- ▶ Up to a maximum product weight of 1 kg
- ▶ Suitable for products from 50 x 15 x 10 mm to 300 x 200 x 200 mm
- ▶ A throughput of 6,000 products/h (approx. 300 totes/h)
- ▶ The length of the separation belts is individually adjusted to the product portfolio
- ▶ Product identification using a six sided scanner, with a speed of 2.5 m/s



PROCESS

1. Feeding in order totes

Depending on whether the SSI Order Verifier is used as a stand-alone station or whether it is integrated into the system directly after the picking process, the order totes are transported to the Verifier manually or automatically.

2. Unloading order totes

The order totes are automatically unloaded by a tilt device.

3. Separating products

Product separation is carried out using innovative belt conveyors.

4. Identifying and documenting products


Inside the reading station the products are identified and documented by taking photographs at a speed of 2.5 m/s.

5. Bringing products together


When the scanning process is complete, the articles are brought together according to the orders, e.g. at an automatic filling point.

6. Removing order totes

After the verification the order totes are taken away from the Order Verifier and often transported directly to the shipping area.







SSI Schäfer Peem GmbH
Fischeraustraße 27
A-8051 Graz
Tel. +43/316/6096-0
Fax +43/316/6096-457
sales@ssi-schaefer-peem.com
www.ssi-schaefer.com