

# WAREHOUSE/ORDER-PICKING/ TRANSPORT CONTAINERS

**2020**  
**2021**

Extract from general catalog

[ssi-schaefer.com](https://www.ssi-schaefer.com)

**Chapter A**



**SSI SCHÄFER**


# Containers from SSI SCHAEFER provide endless diversity

SSI SCHAEFER's impressive range of warehouse, order picking and transport containers includes more than 2,000 different types, designs and sizes.

All product developments within our portfolio draws on experience gained from innumerable practical applications. You can rely on these products because development based on real

usage under demanding conditions is better than any simulated tests. You can be sure that the design and material quality of every type lives up to our promises.

Benefit from SSI SCHAEFER's expertise because we understand storage.



**General note regarding dimensions in this catalog chapter:**

all SSI SCHAEFER plastic containers are manufactured to **within the plastic shaped parts tolerance specified by DIN 16 742.**



**Semi-open front storage containers** page **A2**

Lager-Fix containers  
made of plastic and conductive polypropylene

**Stackable transport containers** **A6**

14/ 6 range made of plastic and conductive polypropylene A7

**Shelf containers** **A10**

Plastic shelf containers A10

**Euro dimension containers** **A14**

- ELB range A14
- EF range A16
- MF range A22
- LTB range A24
- LTF range A26
- Insert boxes A28
- QX range A34
- KLT container system (R-, RL-, C-, F-KLT) A36

**Foldable / collapsible containers** **A42**

- ECOftech ECT folding boxes A42
- Foldable-collapsible FK containers A44

**Nesting storage and transport containers** **A46**

- KMB containers A47
- KS tapered stack and nest containers A50
- EUROFIX Boxes A51
- Fix-Box A52

**Sheet steel boxes and containers** **A54**

- 14/7 range sheet steel semi-open front storage containers A56
- 14/6 range sheet steel stackable transportation containers A58
- Sheet steel shelf containers A60
- Sheet steel transport and stacking containers A61
- Sheet steel Lager-Fix containers, sheet steel post pallets and flat steel pallets A62

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

# Semi-open front storage containers – the practical solution

















SSI SCHAEFER's containers are designed to integrate perfectly into variety of different rack systems. Thanks to their coordinated dimensions, they can be specifically combined to fit the individual rack fields independently of their purpose.


SSI SCHAEFER's containers create the perfect storage system regardless of whether they are used in high bay racking systems, single or multi-tier platform systems or fully automated small parts storage.



## Plastic semi-open front storage containers – LF range

Item	Internal dimensions (base) L x W x Usable H (mm)	Volume (liters)	PU	Order no.				Order no.
								
 LF 110 PP	65 x 91 x 44	0.26	50	<b>1142031</b>	<b>1142032</b>	<b>1142033</b>	<b>1142034</b>	-
LF 110 PPL				-	-	-	-	<b>1142038</b>
 LF 110 M PP	with injection-molded central divider			<b>1142041</b>	<b>1142042</b>	<b>1142043</b>	<b>1142044</b>	-
LF 110 M PPL				-	-	-	-	<b>1142048</b>
 LF 210 ZW PP	136 x 88 x 44	0.5	50	<b>6991</b>	<b>6992</b>	<b>6993</b>	<b>6994</b>	-
LF 210 ZW PPL				-	-	-	-	<b>6998</b>
 LF 211 ZW PP	135 x 88 x 67	0.9	50	<b>92191</b>	<b>92192</b>	<b>92193</b>	<b>92194</b>	-
LF 211 ZW PPL				-	-	-	-	<b>92198</b>
 LF 221 CS PP	191 x 128 x 111	2.7	40	<b>91281</b>	<b>91282</b>	<b>91283</b>	<b>91284</b>	-
LF 221 CS PPL	with grooves for panels CS 221			-	-	-	-	<b>91288</b>
 LF 221 ZW CS PP	with grooves for dividers and panels CS 221			<b>91291</b>	<b>91292</b>	<b>91293</b>	<b>91294</b>	-
LF 221 ZW CS PPL				-	-	-	-	<b>91298</b>
 LF 321 G PP	294 x 182 x 133	7.5	28	<b>91921</b>	<b>91922</b>	<b>91923</b>	<b>91924</b>	-
LF 321 G PPL	with recessed hand grip			-	-	-	-	<b>91928</b>
 LF 321 G ZW PP	with recessed hand grip and grooves for dividers			<b>95521</b>	<b>95522</b>	<b>95523</b>	<b>95524</b>	-
LF 321 G ZW PPL				-	-	-	-	<b>95528</b>
 LF 322 G PP	294 x 183 x 185	10.4	20	<b>92011</b>	<b>92012</b>	<b>92013</b>	<b>92014</b>	-
LF 322 G PPL	with recessed hand grip			-	-	-	-	<b>92018</b>
 LF 322 G ZW PP	with recessed hand grip and grooves for dividers			<b>95511</b>	<b>95512</b>	<b>95513</b>	<b>95514</b>	-
LF 322 G ZW PPL				-	-	-	-	<b>95518</b>

Order no. = on stock




- **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- **Keeps its shape and robust**
- **Smooth interior walls**  
for easy cleaning
- **Recessed handle on the rear wall**  
for safe manual transport
- **Flexible due to partitioning options**
- **Stacking lug**  
for safe stacking
- **Stackable**  
with 14/7 range made of steel, 14/6 range made of plastic and steel
- **Extensive range of accessories**  
for customized bin designs

# Lager-Fix containers, plastic



## Plastic semi-open front storage containers – LF range

Item	Internal dimensions (base) L x W x Usable H (mm)	Volume (liters)	PU	Order no.	Order no.
LF 351 ZW PP	268 x 442 x 132 with grooves for dividers ZW 351	17.0	10	1142051	1142052
LF 351 ZW PPL				1142053	1142054
				-	-
				-	1142058
LF 421 G PP	331 x 158 x 142 with recessed hand grip	7.8	1	79251	79252
LF 421 G PPL				79253	79254
				-	-
				-	79258
LF 511 G PP	448 x 123 x 127 with recessed hand grip	7.6	20	91831	91832
LF 511 G PPL				91833	91834
				-	-
				-	91838
LF 511 G ZW PP	with recessed hand grip and grooves for dividers			92111	92112
LF 511 G ZW PPL				92113	92114
				-	-
				-	92118
LF 531 G PP	445 x 279 x 130 with recessed hand grip	16.5	14	91991	91992
LF 531 G PPL				91993	91994
				-	-
				-	91998
LF 531 G ZW PP	with recessed hand grip and grooves for dividers			92181	92182
LF 531 G ZW PPL				92183	92184
				-	-
				-	92188
LF 532 G PP	445 x 279 x 185 with recessed hand grip	23.5	10	92001	92002
LF 532 G PPL				92003	92004
				-	-
				-	92008
LF 532 G ZW PP	with recessed hand grip and grooves for dividers			95501	95502
LF 532 G ZW PPL				95503	95504
				-	-
				-	95508
LF 533 G PP	444 x 277 x 285 with recessed hand grip	38.0	1	92081	92082
LF 533 G PPL				92083	92084
				-	-
				-	92088
LF 533 G ZW PP	with recessed hand grip and grooves for dividers			92091	92092
LF 533 G ZW PPL				92093	92094
				-	-
				-	92098
LF 543 G PP	445 x 425 x 277 with recessed hand grip	57.0	1	1142174	1142173
LF 543 G PPL				1142172	1142171
				-	-
				-	92108
LF 543 G ZW PP	with recessed hand grip and grooves for dividers			1142164	1142163
LF 543 G ZW PPL				1142162	1142161
				-	-
				-	95568
LF 743 PP	615 x 425 x 278	74.0	1	1142061	1142062
LF 743 PPL				1142063	1142064
				-	-
				-	1142068



Order no. = not on stock

## LF range accessories

**Dust lids**

Made of transparent plastic, angled at the front, closed.

Item	for containers	PU	Order no.
DC 211	LF 211 ZW	10	93240
DC 221	LF 221 CS / ZW CS	10	93230
DC 321	LF 321 G / G ZW	10	93140
DC 322	LF 322 G / G ZW	10	93130
DC 511	LF 511 G / G ZW	10	93290
DC 531	LF 531 G / G ZW	10	93220
DC 532	LF 532 G / G ZW	10	93120

**Dust lids****Only for LF 322 and LF 532.**

Made of gray or transparent plastic. Open order picking side.

Item	for containers	Type	PU	Order no.
DL 322	LF 322 G / G ZW	Transparent	10	93200
LF 32-DL	LF 321 / LF 322 G / G ZW	Gray	10	55385
DL 532	LF 532 G / G ZW	Transparent	10	93190
LF 53-DL	LF 531 / LF 532 / LF 533 G / G ZW	Gray	10	55395

**Dividers**

Polystyrene, white. For dividing containers with moulded grooves. Stackability remains ensured. PU: 10 items.

Item	for containers	PU	Order no.
ZW-K 210	LF 210 ZW, four-way partitioning (1x length-, 1x crosswise)	10	91900
ZW 211	LF 211 ZW	10	92990
ZW 221	LF 221 ZW CS	10	91910
ZW 321 G	LF 321 G ZW	10	95550
ZW 322 G	LF 322 G ZW	10	95540
ZW 351	LF 351 ZW	10	1142030
LF-T 511	LF 511 G ZW, lengthwise divider	10	92120
RKT 300	LF 511 G ZW, crosswise divider	10	14720
ZW 531 G	LF 531 G ZW	10	93280
ZW 532 G	LF 532 G ZW	10	95530
ZW 533 G/543 G	LF 533 G ZW / LF 543 G ZW	10	93080

**Slide-in panels**

For LF containers, made of transparent high quality plastic to protect against dust. With retaining mechanism to prevent anything from falling out of full containers. Can be opened when stacked. Additional, large label holder. Can also be used in stacks, with carry rods and dividers.

Item	for containers	PU	Order no.
CS 321-L	LF 321 G / G ZW	10	93110
CS 322-L	LF 322 G / G ZW	10	93030
CS 531-L	LF 531 G / G ZW	10	91520
CS 532-L	LF 532 G / G ZW	10	93020
CS 533-L	LF 533 G / G ZW	10	93090


**Sliding flap panels**

Made of transparent high quality plastic to protect against dust. The flaps are locked onto the container using two fixing clips, included in the scope of delivery, preventing them from being lost.

Item	for containers	PU	Order no.
CS 221-K	LF 221 CS / ZW CS	10	91220
CS 321-K	LF 321 G / G ZW	10	91480
CS 322-K	LF 322 G / G ZW	10	91490
CS 531-K	LF 531 G / G ZW	10	91530
CS 532-K	LF 532 G / G ZW	10	91500
CS 533-K	LF 533 G / G ZW	10	91510

Order no. = on stock


# LF range accessories



## Insert boxes

Made of blue polystyrene or black conductive PPL (for LF 321 G, LF 322 G, LF 531 G, LF 532 G and LF 533 G).


Item	PU	Order no.	
EK 111	48	22644	—
EK 111 PPL	48	—	22648
EK 112	40	22634	—
EK 112 PPL	40	—	22638
EK 113	36	22624	—
EK 113 PPL	36	—	22628



Suggested partitioning with insert boxes for LF 531 G, LF 532 G and LF 533 G



Suggested partitioning with insert boxes for LF 321 G and LF 322 G



## Bars for lifting

Made of high-strength black plastic. Designed for containers with heavy contents. Easy to retrofit. PU: 10 items

Item	for containers	PU	Order no.
TS 322	LF 321 / LF 322 G / G ZW	10	93010
TS 531	LF 531 / LF 532 / LF 533 G / G ZW	10	93250
TS 543	LF 543 G / G ZW / LF 743	10	95590



Order no. = not on stock

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

# Stackable transport containers for specific warehousing applications



The 14/6 range stackable transport containers are made of plastic and are ideal for both intra-company transport and shipping. They also perfectly fit all SSI SCHAEFER rack systems.


The diverse range of different sizes makes this range of containers highly adaptable to the customer's specific warehousing applications.

The plastic 14/6 range is both compatible and stackable with the 14/6 steel containers along with the 14/7 range made of steel and the plastic LF series.


The fully closed walls allow the boxes to be completely filled. In addition, the sturdy stacking rim and the flat base ensure the safest possible stacking for both intra-company and external transport.



The stacking ratio







- **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- **Keeps its shape and robust**
- **Smooth interior walls**  
for easy cleaning
- **Recessed handle on the short sides**  
for safe manual transport
- **Stackable**  
with LF range made of plastic, 14/7 series made of steel, 14/6 range made of steel

	normal PE/PP	PPL
Specific contact resistance	10 <sup>18</sup> Ohm x cm <	10 <sup>9</sup> Ohm x cm
Specific surface resistance	10 <sup>14</sup> Ohm	10 <sup>4</sup> Ohm




# 14/6 range, plastic



## Stackable transport containers made of plastic/conductive PPL – 14/6 range


Item	Internal dimensions (base) L x W x Usable H (mm)	Volume (liters)	PU	Order no.	Order no.
14/6-4 PP	190 x 123 x 110	2.5	40	8151 8152 8153 8154	—
14/6-4 PPL				—	8158
14/6-3 PP	285 x 183 x 133	7.0	20	8121 8122 8123 8124	—
14/6-3 PPL				—	8128
14/6-3 S PP	286 x 182 x 182 with document holder on the short side	9.3	1	14131 14132 14133 14134	—
14/6-3 S PPL				—	14138
14/6-2 F PP	430 x 279 x 59	8.0	30	15491 15492 15493 15494	—
14/6-2 F PPL				—	15498
14/6-2 G PP	429 x 279 x 89	10.3	20	14121 14122 14123 14124	—
14/6-2 G PPL				—	14128
14/6-2 H PP	428 x 278 x 104 with label holders	12.0	16	14361 14362 14363 14364	—
14/6-2 H PPL				—	14368
14/6-2 PP	426 x 278 x 182 with label holders	21.0	10	8091 8092 8093 8094	—
14/6-2 PPL				—	8098
14/6-230 PP	425 x 275 x 218 with overhang hand grip on request	26.0	10	15751 15752 15753 15754	—
14/6-230 PPL				—	15758
14/6-2 Z PP	423 x 272 x 282 with label holders	33.0	1	14371 14372 14373 14374	—
14/6-2 Z PPL				—	14378
14/6-1 PP	608 x 426 x 278 with label holders	71.0	4	95301 95302 95303 95304	—
14/6-1 PPL				—	95308



Order no. = on stock

Order no. = not on stock

Boxes / containers  
Modular shelving  
Longspan racking  
Pallet racking  
Cantilever racking  
Mezzanines / platforms  
On-line shelving / KDR shelving  
Semi-automated solutions  
Logistics systems  
Appendix






# Accessories for 14/6 range, plastic



### Insert boxes


Made of blue polystyrene or black, conductive PPL.




Item	for container	L x W x H (mm)	required containers	VE	Order no.
<b>EK 1</b>	14/6-3	180 x 96 x 60	3	58	<b>1131</b> <b>1134</b> —
<b>EK 1 PPL</b>					— — <b>1138</b>
<b>EK 2</b>	14/6-3	90 x 96 x 60	6	80	<b>1141</b> <b>1144</b> —
<b>EK 2 PPL</b>					— — <b>1148</b>
<b>EK 3</b>	14/6-3	90 x 48 x 60	12	120	<b>1151</b> <b>1154</b> —
<b>EK 3 PPL</b>					— — <b>1158</b>
<b>EK 111-N</b>	14/6-2 H	137 x 87 x 96	9	48	— <b>4364</b> —
<b>EK 111-N PPL</b>					— — <b>4368</b>
<b>EK 111</b>	14/6-2	137 x 87 x 110	9	48	— <b>22644</b> —
<b>EK 111 PPL</b>					— — <b>22648</b>

Suggested partitioning with insert boxes

For 14/6-3



For 14/6-2 H



For 14/6-2




Order no. = on stock

## Accessories for 14/6 range, plastic

**Dust lids with finger hole**

Recommended for intra-company transport of dust-sensitive articles.

Item	for containers	PU	Order no.
SD-14/6-1 PS	14/6-1	10	16006
SD-14/6-2 PS	14/6-2	10	15946
SD-14/6-3 PS	14/6-3	10	13656
SD-14/6-4 PS	14/6-4	10	13666

**Clip**

For accompanying documents. Keeps the accompanying documents with the goods from the order picking to the final check.

Item	Order no.
KM 14/6	15950



# Plastic shelf containers for 300 mm depth

Divider

Label holder for divider

Label holder on shelf container



## RK 300 Polypropylene, blue

can be divided into max. 6 compartments, 7 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
RK 300	Shelf container (135 x 300 x 120)	25 pcs.	<b>14714</b>
RKE 300	Labels	100 pcs.	<b>21700</b>
RKF 300	Protective film	100 pcs.	<b>21710</b>
RKT 300	Divider	25 pcs.	<b>14720</b>



## RK 300 HO Polypropylene, blue, with semi-open front side

can be divided into max. 6 compartments, 7 containers per shelf.


RK 300 HO	Shelf container (135 x 300 x 120)	25 pcs.	<b>14874</b>
RKE 300 HO	Labels	100 pcs.	<b>21720</b>
RKF 300 HO	Protective film	100 pcs.	<b>21730</b>
RKT 300	Divider	25 pcs.	<b>14720</b>



## RK 321 Polystyrene, blue

can be divided into max. 6 compartments, 6 containers per shelf.


RK 321	Shelf container (162 x 290 x 115)	22 pcs.	<b>1674</b>
RKE 321	Labels for short side	100 pcs.	<b>1720</b>
RKF 321	Protective film	100 pcs.	<b>1790</b>
RKT 321	Divider	25 pcs.	<b>1684</b>
RKE 500 N	Labels for divider	100 pcs.	<b>1740</b>
RKF 500 N	Protective film	100 pcs.	<b>1800</b>



Sheet steel shelf containers

page A60



# Shelf containers made of plastic for 400 mm depth



## RK 400 S Polystyrene, blue

can be divided into max. 8 compartments, 10 containers per shelf.


RK 400 S	Shelf container (97 x 390 x 63)	22 pcs.	<b>17984</b>
RKE 400 S	Labels for short side	100 pcs.	<b>1730</b>
RKF 400 S	Protective film	100 pcs.	<b>1810</b>
RKT 400 S	Divider	25 pcs.	<b>17994</b>
RKE 400 S	Labels for divider	100 pcs.	<b>1730</b>
RKF 400 S	Protective film	100 pcs.	<b>1810</b>



## RK 400 Polystyrene, blue

can be divided into max. 8 compartments, 6 containers per shelf.

RK 400	Shelf container (162 x 408 x 66)	20 pcs.	<b>17904</b>
RKE 500 N	Labels for short side	100 pcs.	<b>1740</b>
RKF 500 N	Protective film	100 pcs.	<b>1800</b>
RKT 400	Divider	25 pcs.	<b>17914</b>
RKE 400	Labels for divider	100 pcs.	<b>17920</b>
RKF 400	Protective film	100 pcs.	<b>17930</b>



Order no. = on stock

BLUE




- ▶ **Made of polypropylene or polystyrene**
- ▶ **Designed for SSI SCHAEFER modular shelvings**
- ▶ **Extensive range of order accessories**  
labeling and partition options (advantageous for both large and small warehouses)
- ▶ **Conductive versions available on request**

## Plastic shelf containers for 400/500 mm depth

### RK 421 Polystyrene, blue

can be divided into max. 8 compartments, 6 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
<b>RK 421</b>	Shelf container (162 x 408 x 115)	16 pcs.	<b>16904</b>
<b>RKE 321</b>	Labels for short side	100 pcs.	<b>1720</b>
<b>RKF 321</b>	Protective film	100 pcs.	<b>1790</b>
<b>RKT 5/421</b>	Divider	25 pcs.	<b>16924</b>
<b>RKE 400</b>	Labels for divider	100 pcs.	<b>17920</b>
<b>RKF 400</b>	Protective film	100 pcs.	<b>17930</b>




### RK 421 B Polystyrene, blue

can be divided into max. 8 compartments, 4 containers per shelf.




Item	Description (W x D x H mm)	PU	Order no.
<b>RK 421 B</b>	Shelf container (243 x 390 x 115)	13 pcs.	<b>1564</b>
<b>RKE 321</b>	Labels for short side	100 pcs.	<b>1720</b>
<b>RKF 321</b>	Protective film	100 pcs.	<b>1790</b>
<b>RKT 5/421 B</b>	Divider	25 pcs.	<b>1574</b>
<b>RKE 500 N</b>	Labels for divider	100 pcs.	<b>1740</b>
<b>RKF 500 N</b>	Protective film	100 pcs.	<b>1800</b>




### RK 500 N Polystyrene, blue

can be divided into max. 10 compartments, 6 containers per shelf.




Item	Description (W x D x H mm)	PU	Order no.
<b>RK 500 N</b>	Shelf container (162 x 490 x 63)	40 pcs.	<b>1584</b>
<b>RKE 500 N</b>	Labels for short side	100 pcs.	<b>1740</b>
<b>RKF 500 N</b>	Protective film	100 pcs.	<b>1800</b>
<b>RKT 500 N</b>	Divider	25 pcs.	<b>1594</b>
<b>RKE 500 N</b>	Labels for divider	100 pcs.	<b>1740</b>
<b>RKF 500 N</b>	Protective film	100 pcs.	<b>1800</b>



### RK 521 Polystyrene, blue

can be divided into max. 10 compartments, 6 containers per shelf.




Item	Description (W x D x H mm)	PU	Order no.
<b>RK 521</b>	Shelf container (162 x 508 x 115)	20 pcs.	<b>16914</b>
<b>RKE 321</b>	Labels for short side	100 pcs.	<b>1720</b>
<b>RKF 321</b>	Protective film	100 pcs.	<b>1790</b>
<b>RKT 5/421</b>	Divider	25 pcs.	<b>16924</b>
<b>RKE 400</b>	Labels for divider	100 pcs.	<b>17920</b>
<b>RKF 400</b>	Protective film	100 pcs.	<b>17930</b>




### RK 521 B Polystyrene, blue

can be divided into max. 10 compartments, 4 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
<b>RK 521 B</b>	Shelf container (243 x 490 x 115)	10 pcs.	<b>1554</b>
<b>RKE 321</b>	Labels for short side	100 pcs.	<b>1720</b>
<b>RKF 321</b>	Protective film	100 pcs.	<b>1790</b>
<b>RKT 5/421 B</b>	Divider	25 pcs.	<b>1574</b>
<b>RKE 500 N</b>	Labels for divider	100 pcs.	<b>1740</b>
<b>RKF 500 N</b>	Protective film	100 pcs.	<b>1800</b>



### RK 522 Polypropylene, blue

can be divided into max. 4 compartments, 5 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
<b>RK 522 PP</b>	Shelf container (190 x 520 x 121)	15 pcs.	<b>1874</b>
<b>RKE 522 S</b>	Labels for short side	100 pcs.	<b>4520</b>
<b>RKF 522 S</b>	Protective film	100 pcs.	<b>4530</b>
<b>RKE 522 L</b>	Labels for long side	100 pcs.	<b>4500</b>
<b>RKF 522 L</b>	Protective film	100 pcs.	<b>4510</b>
<b>RKT 522 PP</b>	Divider	25 pcs.	<b>1880</b>



Order no. = not on stock

Boxes /  
containersModular  
shelvingLongspan  
rackingPallet  
rackingCantilever  
rackingMezzanines /  
platformsOn-line shelving /  
KDR shelvingSemi-automated  
solutionsLogistics  
systems

Appendix



## Plastic shelf containers for 600 mm depth



- ▶ **Made of polypropylene or polystyrene**
- ▶ **Designed for SSI SCHAEFER modular shelving**
- ▶ **Extensive range of order accessories**  
labeling and partition options (advantageous for both large and small warehouses)
- ▶ **Conductive versions available on request**



### RK 619-02 Polypropylene, blue

can be divided into max. 11 compartments, 8 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
RK 619-02	Shelf container (116 x 599 x 90)	20 pcs.	<b>20954</b>
RKE 619	Labels for short side	100 pcs.	<b>20910</b>
RKF 619	Protective film	100 pcs.	<b>20920</b>
RKT 61	Divider	25 pcs.	<b>21154</b>
RKE 619	Labels for divider	100 pcs.	<b>20910</b>
RKF 619	Protective film	100 pcs.	<b>20920</b>



### RK 619-01 Polypropylene, blue

can be divided into max. 12 compartments, 8 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
RK 619-01	Shelf container (116 x 620 x 90)	20 pcs.	<b>21144</b>
RKE 619	Labels for short side	100 pcs.	<b>20910</b>
RKF 619	Protective film	100 pcs.	<b>20920</b>
RKT 61	Divider	25 pcs.	<b>21154</b>
RKE 619	Labels for divider	100 pcs.	<b>20910</b>
RKF 619	Protective film	100 pcs.	<b>20920</b>



### RK 629-02 Polypropylene, blue

can be divided into max. 11 compartments, 4 containers per shelf.

Item	Description (W x D x H mm)	PU	Order no.
RK 629-02	Shelf container (232 x 599 x 90)	10 pcs.	<b>20964</b>
RKE 629	Labels for short side	100 pcs.	<b>20930</b>
RKF 629	Protective film	100 pcs.	<b>20940</b>
RKT 62	Divider	25 pcs.	<b>21174</b>
RKE 629	Labels for divider	100 pcs.	<b>20930</b>
RKF 629	Protective film	100 pcs.	<b>20940</b>



### RK 629-01 Polypropylene, blue

can be divided into max. 12 compartments, 4 containers per shelf.



Item	Description (W x D x H mm)	PU	Order no.
RK 629-01	Shelf container (232 x 620 x 90)	10 pcs.	<b>21164</b>
RKE 629	Labels for short side	100 pcs.	<b>20930</b>
RKF 629	Protective film	100 pcs.	<b>20940</b>
RKT 62	Divider	25 pcs.	<b>21174</b>
RKE 629	Labels for divider	100 pcs.	<b>20930</b>
RKF 629	Protective film	100 pcs.	<b>20940</b>



### RK 621 Polystyrene, blue

can be divided into max. 12 compartments, 6 containers per shelf.

Item	Description (W x D x H mm)	PU	Order no.
RK 621	Shelf container (162 x 590 x 115)	12 pcs.	<b>1894</b>
RKE 321	Labels for short side	100 pcs.	<b>1720</b>
RKF 321	Protective film	100 pcs.	<b>1790</b>
RKT 5/421	Divider	25 pcs.	<b>16924</b>
RKE 400	Labels for divider	100 pcs.	<b>17920</b>
RKF 400	Protective film	100 pcs.	<b>17930</b>



### RK 621 B Polystyrene, blue

can be divided into max. 12 compartments, 4 containers per shelf.

Item	Description (W x D x H mm)	PU	Order no.
RK 621 B	Shelf container (243 x 590 x 115)	8 pcs.	<b>1904</b>
RKE 321	Labels for short side	100 pcs.	<b>1720</b>
RKF 321	Protective film	100 pcs.	<b>1790</b>
RKT 5/421 B	Divider	25 pcs.	<b>1574</b>
RKE 500 N	Labels for divider	100 pcs.	<b>1740</b>
RKF 500 N	Protective film	100 pcs.	<b>1800</b>



Order no. = on stock



Boxes /  
containers

Modular  
shelving

Longspan  
racking

Pallet  
racking

Cantilever  
racking

Mezzanines /  
platforms

On-line shelving /  
KDR shelving

Semi-automated  
solutions

Logistics  
systems

Appendix


# ELB range – the all-round container for every application




## ELB Euro light container

SSI SCHAEFER has created an innovative high-tech product, drawing on expertise gained from unique, special applications. The result is an incredibly light, robust and, above all, low-cost general purpose container, which is differentiated by its versatility.

Developed using a new material in a new machine, the Euro light container is a high quality product suitable for a vast range of applications.



Smooth standard base for manual handling or modular shelving systems (max. content weight 20 kg)



## ELB Euro light container – standard design

Item	Internal dimensions (base) L x W x H (mm)	Usable internal height when stacked (mm)	Volume (liters)	Order no.
<b>ELB 4120</b>	356 x 256 x 115	100	10.9	<b>56504</b> <b>56505</b>
<b>ELB 4220</b>	356 x 256 x 215	200	20.4	<b>56534</b> <b>56535</b>
<b>ELB 6120</b>	555 x 355 x 115	100	23.3	<b>56564</b> <b>56565</b>
<b>ELB 6220</b>	555 x 355 x 215	200	43.7	<b>56594</b> <b>56595</b>
<b>ELB 6320</b>	555 x 355 x 314	300	64.0	<b>56624</b> <b>56625</b>



## Other container designs on request




### Label holder

Fits onto the ribs of all Euro light container.

PU: 50 items

Item	Order no.
ELB-E	<b>16020</b>



### Insertable hand grips

Made of polypropylene for subsequently closing the finger holes.

PU: 50 items

Item	Type	Order no.
<b>GV-MF</b>	curved	<b>39795</b>
<b>GV-MF 3</b>	smooth	<b>22385</b>

Order no. = on stock



GRAY




Additional colors available on request

- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Keeps its shape and robust**
- ▶ **Stacking**  
rim with profile design
- ▶ **Ergonomic open hand grips**  
on both short sides
- ▶ **Lifting slots**  
for materials handling device
- ▶ **Optional reinforced base**  
for reliable and safe storage using automated systems
- ▶ **Corner frame design**  
for torsion-resistant construction
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Compatible**  
with all Euro dimension containers

# ELB range with two-piece hinged lid and accessories

2-piece hinged lid with two interlocking parts





Handle and stacking lock

Banding groove with hinge

## ELB Euro light container with two-part hinged lid

Item	Internal dimensions (base) L x W x H (mm)	Usable internal height when stacked (mm)	Volume (liters)	Order no.
ELB-DH 4120	356 x 256 x 115	100	10.9	<b>56955</b> <b>56005</b>
ELB-DH 4220	356 x 256 x 215	200	20.4	<b>56014</b> <b>56015</b>
ELB-DH 6120	555 x 355 x 115	100	23.3	<b>56024</b> <b>56025</b>
ELB-DH 6220	555 x 355 x 215	200	43.7	<b>56034</b> <b>56035</b>
ELB-DH 6320	555 x 355 x 314	300	64.0	<b>56044</b> <b>56045</b>



### Drop-on lids

Lid clips and additional colors available on request.

Item	for basic dimensions L x W (mm)	Order no.
<b>Lid</b>		
LTB-D 43	400 x 300	<b>75905</b>
LTB-D 64	600 x 400	<b>75915</b>
<b>With hinges</b> (incl. 2 lid hinges)		
LTB-D 43 S	400 x 300	<b>76205</b>
LTB-D 64 S	600 x 400	<b>76215</b>

Order no. = not on stock



### Pallet covers

For covering entire stacks of containers on a euro pallet. Designed for banding with guiding grooves on the short sides of the pallet cover.

Item	for basic dimensions L x W (mm)	Order no.
ADH 86	800 x 600	— <b>93628</b>
A 1208	1,200 x 800	<b>39704</b> —
A 1208-1	1,200 x 800	<b>35614</b> —

Illustrations of the pallet covers A 1208-1 and ADH 86 are shown on page A20.

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

# EF range – containers for manual and automated handling





## EUROFIX containers – EF range

The EF range from SSI SCHAEFER provides cost-effective staging, transporting and storage with 25 different sizes and 150 varieties. Regardless of the application, the sturdy stacking lids guarantee safe stacking up to 600 kg.

The EF box range is also available in conductive versions and with special designs.



Smooth standard base (max. content load 20 kg)



## Standard EF containers

Item	Internal dimensions of the base L x W x H (mm) when stacked	Volume (liters)	Base	Walls	Order no.	Order no.		
EF 2120 PP	153 x 106 x 102	2.0			22031	22034	22035	–
EF 2120 PPL					–	–	–	22038
EF 3120 PP	254 x 154 x 102	4.7			22021	22024	22025	–
EF 3120 PPL					–	–	–	22028
EF 3170 PP	253 x 153 x 148	7.0			22261	22264	22265	–
EF 3170 PPL					–	–	–	22268
EF 3220 PP	253 x 153 x 197	9.0			22931	22934	22935	–
EF 3220 PPL					–	–	–	22938
EF 4040 PP	358 x 258 x 28	3.6			15501	15504	15505	–
EF 4040 PPL					–	–	–	15508
EF 4070 PP	359 x 259 x 61	6.9			21741	21744	21745	–
EF 4070 PPL					–	–	–	21748
EF 4080 PP	358 x 258 x 68	7.4			15511	15514	15515	–
EF 4080 PPL					–	–	–	15518
EF 4120 PP	356 x 256 x 105	11.1			14891	14894	14895	–
EF 4120 PPL					–	–	–	14898

/ Closed


Perforated

Order no. = on stock

RED BLUE GRAY



Additional colors available on request



- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Keeps its shape and robust**
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Strong stacking rims**  
for safe stacking up to 600 kg
- ▶ **Optimum rib structure**  
for safe storage and transport
- ▶ **Compatible**  
with all Euro containers
- ▶ **Flexibility**  
thanks to 25 sizes and more than 150 variants

▶ **Conductive polypropylene (PPL)**

Specific contact resistance	normal PE/PP 10 <sup>18</sup> Ohm x cm <	<b>PPL</b> 10 <sup>9</sup> Ohm x cm
Specific surface resistance	10 <sup>-14</sup> Ohm	<b>10<sup>4</sup> Ohm</b>



# EF range – standard




**Other container designs**

on request



**Standard EF containers**

Item	Internal dimensions of the base L x W x H (mm) when stacked	Volume (liters)	Base	Walls	Order no.	Order no.		
EF 4140 PP	354 x 254 x 117	12.8	■	■	22271	22274	22275	—
EF 4140 PPL			■	■	—	—	—	22278
EF 4170 PP	354 x 254 x 147	15.7	■	■	22161	22164	22165	—
EF 4170 PPL			■	■	—	—	—	22168
EF 4220 PP	355 x 255 x 197	20.4	■	■	14951	14954	14955	—
EF 4220 PPL			■	■	—	—	—	14958
EF 4221 PP			■	■	14961	—	14965	—
EF 4223 PP	355 x 255 x 194	19.9	■	■	14971	—	14975	—
EF 4320 PP	354 x 253 x 306	29.7	■	■	14741	14744	14745	—
EF 4320 PPL			■	■	—	—	—	14748



■ / ■ Closed    ■ Perforated



Hand grip\*\*



Open hand grip\*\*



Overhang hand grip\*\*



Hand grip with overhang hand grip\*\*

\*\* Not always in stock. Please inquire.

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

**i**

RED BLUE GRAY PPL BLACK

Additional colors available on request



## EF series – standard (continued) and EF series – special

### Standard EF containers

Item	Internal dimensions of the base L x W x H (mm) when stacked	Volume (liters)	Base	Walls	Order no.			Order no.
 EF 6070 PP	553 x 353 x 60	14.3			22041	22044	22045	–
EF 6070 PPL					–	–	–	22048
 EF 6120 PP	553 x 353 x 97	23.3			92281	970309	92285	–
EF 6120 PPL					–	–	–	92288
 EF 6140 PP	553 x 353 x 117	27.4			22231	22234	22235	–
EF 6140 PPL					–	–	–	22238
 EF 6150 PP	553 x 353 x 127	29.4			21951	21954	21955	–
EF 6150 PPL					–	–	–	21958
 EF 6170 PP	559 x 359 x 151	34.2			15371	15374	15375	–
EF 6170 PPL					–	–	–	15378
 EF 6180 PP	553 x 353 x 156	35.4			15661	15664	15665	–
EF 6180 PPL					–	–	–	15668
EF 6181 PP					–	–	22055	–
 EF 6220 PP	553 x 353 x 196	43.5			14851	14854	14855	–
EF 6220 PPL					–	–	–	14858
EF 6221 PP					16091	–	16095	–
 EF 6240 PP	553 x 353 x 216	47.5			22091	22094	22095	–
EF 6240 PPL					–	–	–	22098
 EF 6280 PP	553 x 353 x 261	56.6			21921	21924	21925	–
EF 6280 PPL					–	–	–	21928
 EF 6320 PP	553 x 353 x 296	63.7			14831	14834	14835	–
EF 6320 PPL					–	–	–	14838
EF 6321 PP					16071	–	16075	–
 EF 6420 PP	553 x 353 x 396	83.8			14921	14924	14925	–
EF 6420 PPL					–	–	–	14928
EF 6421 PP					–	–	14935	–

### Special EF containers – Base dimensions of 400 x 300 mm

Item	Finish	Interior dim. when stacked L x W x H (mm)	Volume (liters)	Base	Walls	Order no.
 EF 4220 F1	One front side open at the top semi-open, with bevelled hand grip	355 x 255 x 197	20.4			92251 92255

/ Closed Perforated **Order no.** = on stock

# Special EF containers with order picking opening and accessories

## EUROFIX container EF 6220 D11

With semi-open front side.  
Material: Polypropylene. Color: blue.  
External dimensions: L 599 x W 399 x H 220 mm.  
With front side opening: W 278 x H 110 mm.

### Dust cover EF-SK 64102

Made of transparent plastic.

Item	Order no.
EF 6220 D11	93904
EF-SK 64102	93930

Minimum order quantity for special EF boxes with dust flap

## EUROFIX container EF 6320 B11

With semi-open front side.  
Material: Polypropylene. Color: blue.  
External dimensions: L 599 x W 399 x H 320 mm.  
With front side opening: W 278 x H 160 mm.

### Dust cover EF-SK 64152

Made of transparent plastic.

Item	Order no.
EF 6320 B11	93894
EF-SK 64152	93920

Minimum order quantity for special EF boxes with dust flap

## EUROFIX container EF 6420 A14

With semi-open front side.  
Material: polypropylene. Color: blue.  
External dimensions: L 599 x W 399 x H 420 mm.  
With front side opening: W 278 x H 210 mm.

### Dust cover EF-SK 64202

Made of transparent plastic.

Item	Order no.
EF 6420 A14	93884
EF-SK 64202	93910


Minimum order quantity for special EF boxes with dust flap



## Insertable hand grips

Made of polypropylene for subsequently closing the finger holes.

PU: 50 items



Item	Order no.
GV-EF	22081 22085
GV-EF 3	22301 22325

Order no. = not on stock



## Label holder

Fits onto the ribs of all EUROFIX containers.

PU: 50 items




Item	Order no.
EF-E	16010

Boxes /  
containersModular  
shelvingLongspan  
rackingPallet  
rackingCantilever  
rackingMezzanines /  
platformsOn-line shelving /  
KDR shelvingSemi-automated  
solutionsLogistics  
systems

Appendix

# Accessories for standard EF containers



## Lids

Available in red, blue or gray for all EUROFIX containers. Slits in the long sides of the lid make all boxes crimp-sealable and lockable. Material: Polypropylene.

Item	for basic dimensions (mm)	Order no.			Item	Order no.
EF-D 21	200 x 150	21791	21794	21795	EF-D 21 PPL	21798
EF-D 32	300 x 200	22281	22284	22285	EF-D 32 PPL	22288
EF-D 43	400 x 300	15031	15034	15035	EF-D 43 PPL	15038
EF-D 64	600 x 400	15041	15044	15045	EF-D 64 PPL	15048



Lid with hooks



Lid clips (on request)


## Lids with cast hooks or hinges

The lids with cast hooks is removable while the rotating and opening movement remains guided. Lid clips on request.

Item	for basic dimensions (mm)	Order no.			Item	Order no.
<b>With hooks (clips on request)</b>						
EF-D 21-H	200 x 150	39911	39914	39915	EF-D 21-H PPL	39918
EF-D 32-H	300 x 200	39921	39924	39925	EF-D 32-H PPL	39928
EF-D 43-H	400 x 300	39931	39934	39935	EF-D 43-H PPL	39938
EF-D 64-H	600 x 400	39941	39944	39945	EF-D 64-H PPL	39948
<b>With hinges</b>						
EF-D 21-S	200 x 150	21001	21004	21005	EF-D 21-S PPL	21008
EF-D 32-S	300 x 200	21021	21024	21025	EF-D 32-S PPL	21028
EF-D 43-S	400 x 300	21041	21044	21045	EF-D 43-S PPL	21048
EF-D 64-S	600 x 400	21081	21084	21085	EF-D 64-S PPL	21088

## Pallet covers

For covering entire stacks of containers on a euro pallet. Designed for banding with guiding grooves on the short sides of the pallet cover.



Item	for basic dimensions L x W (mm)	Order no.	
ADH 86	800 x 600	—	93628
A 1208	1,200 x 800	39704	—
A 1208-1	1,200 x 800	35614	—

Order no. = on stock

## Accessories for standard EF containers

**Roll-Fix**

LTS tray with 4 swivel castors (Ø 80 mm).

Closed platform made of polypropylene with 15 mm high stacking rim.

Suitable for EF containers 600 x 400 mm.

Load capacity: 200 kg.






Roll-Fix RO 460



Roll-Fix RO 461



Roll-Fix RO 463

Item	L x W x H (mm)	Type	Order no.		
					
<b>RO 460</b>	594 x 396 x 150	with plastic castors	<b>22201</b>	<b>22205</b>	–
<b>RO 461</b>	594 x 396 x 150	with solid rubber castors	<b>22211</b>	<b>22215</b>	–
<b>RO 463 PPL</b>	594 x 396 x 150	with conductive castors	–	–	<b>22190</b>

**Dolly**

For transporting EF containers.

Suitable for transport with forklifts.

Max. stacking height on the pallet 1.80 m.

2 swivel castors and 2 rigid castors (Ø 125 mm). Ground clearance: 115 mm. Max. load 450 kg. Can be stacked securely on top of each other. Height when stacked 130 mm. Color: black.



Item	W x D x H (mm)	Order no.
<b>RLP 86</b>	800 x 600 x 200	<b>93608</b>




# MF range – the professional solution for automated warehousing and production

## MF multi-functional container range

The MF multi-functional container range is the ideal solution for all automated warehousing. They are perfect for production tasks or during reusable packaging for external goods transport. The series also features a double base for optimum conveying with high loads, comb-shaped ribs for perfect contact with all conveying sections and the open-rib tunnel underneath the running edge to prevent scooped areas.



Standard base for problem-free and safe storage using ASPW systems (max. content load 30 kg)



Long holes for the lid hinges  
Handles for manual handling  
Document holder with integrated barcode field

Fitting for optical identification points  
Upper stacking rim  
Layer identification point

Fitting for optical identification points


Lifting slots for vertical retrieval  
Holes for lid sealing

Holes for alignment



Lower stacking rim

Document holder with integrated barcode field

Sturdy stoppage for pulling equipment



## MF containers


Item	Internal dimensions of the base L x W x H (mm) when stacked	Volume (liters)	Order no.		Order no.
					
MF 2120	160 x 111 x 103	2.0	39044	39045	–
MF 2120 PPL			–	–	39048
MF 3120	267 x 168 x 102	5.2	39304	39305	–
MF 3120 PPL			–	–	39308
MF 4060	366 x 267 x 27	4.1	38734	38735	–
MF 4060 PPL			–	–	38738
MF 4120	360 x 261 x 87	10.0	39314	39315	–
MF 4120 PPL			–	–	39318
MF 4170	366 x 267 x 137	14.6	39324	39325	–
MF 4170 PPL			–	–	39328
MF 4220	366 x 267 x 187	19.7	39334	39335	–
MF 4220 PPL			–	–	39338
MF 4270	366 x 267 x 237	24.3	39494	39495	–
MF 4270 PPL			–	–	39498
MF 6070	564 x 366 x 34	10.2	39344	39345	–
MF 6070 PPL			–	–	39348
MF 6120	564 x 366 x 87	21.0	970088	970090	–
MF 6120 PPL			–	–	970091
MF 6170	564 x 366 x 135	30.8	39364	39365	–
MF 6170 PPL			–	–	39368
MF 6220	564 x 366 x 187	41.6	1142384	1142385	–
MF 6220 PPL			–	–	1142388
MF 6270	564 x 366 x 237	52.0	39384	39385	–
MF 6270 PPL			–	–	39388

Order no. = on stock

Order no. = not on stock



MF range



Additional colors available on request

- Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- Keeps its shape and robust**
- Base surround**  
for smooth quiet-running conveying
- Reinforced base**  
for reliable and safe storage using ASPW systems
- Compatible**  
with all Euro dimension containers
- Optimum rib structure**  
for safe storage and transport
- Smooth interior walls**  
for easy cleaning
- High content loads**
- Optional drainage holes in the base**  
as per the VDS directive for HHS3 classification

	normal PE/PP	PPL
Specific contact resistance	10 <sup>18</sup> Ohm x cm <	10 <sup>9</sup> Ohm x cm
Specific surface resistance	10 <sup>14</sup> Ohm	10 <sup>4</sup> Ohm




Other container designs

on request



Insertable hand grips


Made of polypropylene for subsequently closing the finger holes. PU: 50 items



Item	Order no.	Order no.
GV-MF	39794	39795
GV-MF 3	22374	22385

MF containers

Item	Internal dimensions of the base L x W x H (mm) when stacked	Volume (liters)	Order no.	Order no.	Order no.
MF 6320	564 x 366 x 287	62.3	39394	39395	—
MF 6320 PPL			—	—	39398
MF 6420	564 x 366 x 387	82.9	39404	39405	—
MF 6420 PPL			—	—	39408



Insert boxes and suggested partitioning

on pages A29 – A31

Lid

Dustproof closing. Sealable. Can also be stacked safely with a lid. Lifting slots for automated handling. \*) Design with the surrounding banding groove in the middle.

Two securing rings for the hinges and two clips to fasten the cover are included with the lid with cast hinges.




Item	for basic dimensions L x W (mm)	Order no.	Order no.	Item	Order no.
<b>Auflagedeckel</b>					
MF-D 32	300 x 200	39464	39465	MF-D 32 PPL	39468
MF-D 43	400 x 300	39714	39715	MF-D 43 PPL	39718
MF-D 64*	600 x 400	39744	39745	MF-D 64 PPL	39748
<b>With hooks (lid clips on request)</b>					
MF-D 32 H	300 x 200	39854	39855	MF-D 32 H PPL	39858
MF-D 43 H*	400 x 300	39724	39725	MF-D 43 H PPL	39728
MF-D 64 H*	600 x 400	39754	39755	MF-D 64 H PPL	39758
<b>With hinges (lid clips on request)</b>					
MF-D 32 S	300 x 200	39474	39475	MF-D 32 S PPL	39478
MF-D 43 S*	400 x 300	39864	39865	MF-D 43 S PPL	39868
MF-D 64 S*	600 x 400	39874	39875	MF-D 64 S PPL	39878
<b>Pallet cover</b>					
A 1208	1,200 x 800	39704	—	—	—
A 1208-1**	1,200 x 800	35614	—	—	—



Lid with hooks

Lid clips



\*\* Figure see page A25



# LTB range – light and strong for transport and storage



## LTB containers for warehousing and transportation

The LTB from SSI SCHAEFER provides especially high volume usage, reinforced top and bottom edges together with four sturdy corner supports.

Specially designed base variants guarantee that it can move along conveying sections without any difficulty. These characteristics ensure high torsion resistance and safe stacking. Its very low empty weight together with the reinforced standard base make it suitable for content weighing up to 50 kg. The variant with vibration-welded base (VS01) is suitable for content weighing up to 70 kg.

In addition to the open standard variant, the LTB is also available with single or piece hinged lid or a separate lid. When using these separate lid or the hinged lid, the LTB can be shipped and remains suitable for automated stacking and safe storage using ASPW systems or modular shelvings.

The LTB containers for warehousing and transportation from SSI SCHAEFER could be incremental in creating consistently automated material flow.



## LTB containers for warehousing and transportation – standard design

Item	Internal dimensions (base) L x W x H (mm)	Usable internal height when stacked (mm)	Volume (liters)	Base	Order no.
<b>LTB 4120</b>	366 x 266 x 103	88	10.0		<b>75704 75705</b>
<b>LTB 4220</b>	366 x 266 x 203	188	19.8		<b>75744 75745</b>
<b>LTB 6120</b>	566 x 366 x 98	83	20.3		<b>75784 75785</b>
<b>LTB 6170</b>	566 x 366 x 148	133	30.7		<b>75804 75805</b>
<b>LTB 6220</b>	566 x 366 x 198	183	41.0		<b>75824 75825</b>
<b>LTB 6270</b>	566 x 366 x 248	233	51.4		<b>75844 75845</b>
<b>LTB 6320</b>	566 x 366 x 298	283	61.7		<b>75864 75865</b>
<b>LTB 6420</b>	566 x 366 x 398	383	82.3		<b>86064 86065</b>
<b>LTB 8220 VS05</b>	755 x 555 x 197	177	84.5	<b>VS</b>	<b>76024 76025</b>
<b>LTB 8320 GL</b>	752 x 552 x 317	297	135.0	<b>GL</b>	<b>76244 76245</b>
<b>LTB 8320 VS05</b>	755 x 555 x 297	277	125.0	<b>VS</b>	<b>76284 76285</b>
<b>LTB 8420 VS05</b>	755 x 555 x 397	377	165.0	<b>VS</b>	<b>76294 76295</b>

**GL** GL version with smooth base (max. load 25 kg)

**VS** Vibration-welded base (VS01/VS05 base)

**Order no.** = on stock

**Order no.** = not on stock

BLUE GRAY




Additional colors available on request

- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Keeps its shape and robust**
- ▶ **Reinforced base**  
for reliable and safe storage using ASPW systems
- ▶ **Double-walled corner frame design**  
for high torsion resistance with high stacking loads
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Various handle versions**
- ▶ **Optional drainage holes in the base**  
as per the VDS directive for HHS3 classification
- ▶ **Compatible**  
with all Euro dimension containers
- ▶ **Conductive models**  
available on request

# Separate lids and pallet covers for the LTB range

**i** Other container designs on request



### Lid

Item	for containers with basic dimensions L x W (mm)	Incl. the following accessories	Order no.	
Lid (lid clips on request)				
LTB-D 43	400 x 300		75904	75905
LTB-D 64	600 x 400		75914	75915
With hinges (lid clips on request)				
LTB-D 43 S	400 x 300	2 lid hinges	76204	76205
LTB-D 64 S	600 x 400	2 lid hinges	76214	76215




### Pallet covers


For covering entire stacks of containers on a euro pallet. Designed for banding with guiding grooves on the short sides of the pallet cover.

Item	for basic dimensions L x W (mm)	Order no.
A 1208	1,200 x 800	39704
A 1208-1	1,200 x 800	35614

A 1208 PP



A 1208-1 PP



Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

# LTF range – containers for automated warehousing

## LTF range containers

The various base designs of the storage and transport fix range containers (LTF) enable content loads of up to 70 kg depending on the specific version.

Vertical sidewalls ensure that the internal dimensions are optimally usable. With their special corner frame design, they are capable of handling high stacking loads and are also easy to clean.

The containers also feature VDA label slots, adhesive surfaces for barcodes, vertical lifting slots and holes for alignment as well as transponder retaining elements. Further options also include drainage holes in the base as per the VDS directive for the HHS 3 classification and diverse handle versions.

The LTF is compatible with VDA system elements (e.g. A 1208, see KLT).

Long hole for lid hinge, compatible with the MF range

Lid sealing holes, compatible with the MF range

Lifting slots for vertical retrieval, compatible with the MF range

Double-walled corner frame for high stacking loads

Retaining element for label securing wire (short/long sides)

Retaining option for check card transponder (short/long sides)

Sturdy structure for pulling equipment (short/long sides), rounded corners, advantageous for conveying sections


Large adhesive or hot stamping surfaces

Holes for alignment

Label holder with integrated barcode adhesive strip (short/long sides)



Standard base (max. content load 30 kg)




## LTF containers

Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	Order no.
LTF 6120	564 x 366 x 87	21.0	35764 35765
LTF 6220	564 x 366 x 187	42.0	35724 35725
LTF 6280	564 x 366 x 247	53.8	35704 35705
LTF 6320 LTF 6320 PPR*	564 x 366 x 287	62.7	35734 35735 - 591216

\* from recycled material

## Insertable hand grips

Made of polypropylene for subsequently closing the finger holes.  
PU: 50 items



Item	Type	Order no.
GV-MF	curved	39794 39795
GV-MF 3	smooth	22374 22385

## Label holder



Item	Order no.
LTF-E	16020

Order no. = on stock

BLUE GRAY PPR



Additional colors available on request

- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **The Blue Angel**  
for high quality PPR from top suppliers, **only LTF 6320 PPR**
- ▶ **Keeps its shape and robust**
- ▶ **Base surround**  
for smooth quiet-running conveying
- ▶ **Reinforced base**  
for reliable and safe storage using ASPW systems
- ▶ **Double-walled corner frame design**  
for high stacking loads
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Various handle versions**
- ▶ **Optional drainage holes in the base**  
as per the VDS directive for HHS3 classification
- ▶ **Compatible with all Euro dimension containers**
- ▶ **Conductive models**  
available on request

# Lid and pallet covers



## Other special designs

on request



## Lid

Dustproof closing. Sealable LTF containers can also be stacked safely with lids. Lifting slots for automated handling. \*) Design with the surrounding banding groove in the middle.


Item	Type	Order no.	
MF-D 64*	Lid	39744	39745
MF-D 64 H*	with hooks (lid clips on request)	39754	39755
MF-D 64 S*	with hinge (lid clips on request)	39874	39875




## Pallet covers

For covering entire stacks of containers on a euro pallet. Designed for banding with guiding grooves on the short sides of the pallet cover.

A 1208 PP



A 1208-1 PP



Item	for basic dimensions L x W (mm)	Order no.
A 1208	1,200 x 800	39704
A 1208-1	1,200 x 800	35614



Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

## Insert boxes – to control the chaos

Without insert boxes the storage areas and workshops in many companies descend into unending chaos. They are the ideal solution for organizing and safely storing numerous small parts. SSI SCHAEFER's insert boxes more than just a means of creating order in boxes, drawers and containers. They are also essential for making the very best use of the space available in carriers and containers.

Furthermore, these flexible insert boxes are also incredibly rugged. Available in innumerable designs, they are resistant to most oils, acidic and alkaline solutions while their smooth inner walls also make them easy to clean. They eliminate the need to search for items as everything is where it is supposed to be.



BLUE PPL BLACK



- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, when used properly dimensionally stable from -20° to +100°C
- ▶ **4 sizes can be combined**  
with Euro containers with **300 x 200, 400 x 300 and 600 x 400 mm bases**
- ▶ **Keeps its shape and robust**
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Drainage holes**  
in the insert boxes for automated storage on request

# Insert boxes for EF, MF range Euro containers



EK 4081

EK 4021

EK 3021

EK 4041



Container 300 x 200 mm

Insert box	H (mm)	Divider
EK 3021	80	1/2 transverse




Container 400 x 300 mm

Insert box	H (mm)	Divider
EK 4021	80	1/2 transverse



Container 400 x 300 mm

Insert box	H (mm)	Divider
EK 4041	80	1/4




Container 400 x 300 mm

Insert box	H (mm)	Divider
EK 4081	80	1/8




Container 400 x 300 mm

Insert box	Height (mm)
4 x EK 4081	80
2 x EK 4041	80



Container 400 x 300 mm

Insert box	Height (mm)
4 x EK 4081	80
1 x EK 4021	80



Container 400 x 300 mm

Insert box	Height (mm)
2 x EK 4081	80
1 x EK 4041	80
1 x EK 4021	80




Container 400 x 300 mm

Insert box	Height (mm)
2 x EK 4041	80
1 x EK 4021	80

## Insert boxes for Euro containers with 300 x 200/400 x 300 mm bases

Item	for containers (mm)	Dimensions L x W x H (mm)	PU	Order no.
EK 3021	300 x 200	157 x 127 x 80	84	1184 -
EK 3021 PPL				- 1188
EK 4021	400 x 300	258 x 179 x 80	36	1914 -
EK 4021 PPL				- 1918
EK 4041	400 x 300	179 x 129 x 80	48	1924 -
EK 4041 PPL				- 1928
EK 4081	400 x 300	129 x 90 x 80	64	1934 -
EK 4081 PPL				- 1938



Order no. = on stock

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix





BLUE PPL BLACK




# Insert boxes for EF, MF and LTF range Euro containers


- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, when used properly dimensionally stable from -20° to +100°C
- ▶ **6 sizes can be combined**  
with Euro containers with **600 x 400 mm base**
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Drainage holes**  
in the insert boxes for automated storage on request




Container 600 x 400 mm		
Insert box	H (mm)	Divider
EK 6161	80	1/16



Container 600 x 400 mm		
Insert box	H (mm)	Divider
EK 6081	80	1/8
EK 6082	150	1/8



Container 600 x 400 mm		
Insert box	H (mm)	Divider
EK 6041 L	80	1/4 longitudinal




Container 600 x 400 mm		
Insert box	H (mm)	Divider
EK 6041	80	1/4
EK 6042	150	1/4




Container 600 x 400 mm		
Insert box	H (mm)	Divider
EK 6021	80	1/2 longitudinal
EK 6022 L	150	1/2 longitudinal




Container 600 x 400 mm		
Insert box	H (mm)	Divider
EK 6021 Q	80	1/2 transverse
EK 6022 Q	150	1/2 transverse



Container 600 x 400 mm		
Insert box	Height (mm)	
4 x EK 6081	80	
8 x EK 6161	80	



Container 600 x 400 mm		
Insert box	Height (mm)	
2 x EK 6041	80	
2 x EK 6081	80	
4 x EK 6161	80	



## Insert boxes for Euro containers with 600 x 400 mm base

Item	for containers (mm)	Dimensions L x W x H (mm)	PU	Order no.
EK 6161	600 x 400	140 x 90 x 80	84	4764
EK 6161 PPL				4768
EK 6081	600 x 400	179 x 140 x 80	48	4754
EK 6081 PPL				4758
EK 6082	600 x 400	179 x 140 x 150	32	79354
EK 6082 PPL				79358
EK 6041	600 x 400	279 x 179 x 80	36	4734
EK 6041 PPL				4738
EK 6041 L	600 x 400	558 x 90 x 80	48	4744
EK 6041 L PPL				4748
EK 6042	600 x 400	279 x 179 x 150	18	4724
EK 6042 PPL				4728
EK 6021 Q	600 x 400	358 x 279 x 80	18	79364
EK 6021 Q PPL				79368
EK 6022 Q	600 x 400	358 x 279 x 150	12	4774
EK 6022 Q PPL				4778
EK 6022 L	600 x 400	558 x 179 x 150	12	4714
EK 6022 L PPL				4718
EK 6021	600 x 400	558 x 179 x 80	24	1944
EK 6021 PPL				1948
EK 6023 L	600 x 400	558 x 179 x 215	24	4784
EK 6023 L PPL				4788

Order no. = on stock

Order no. = not on stock



BLUE PPL BLACK



**Polystyrene**

Polystyrene is very hard and keeps its shape due to its amorphous structure

**6 sizes can be combined**

with Euro containers with **600 x 400 mm base**

**Smooth interior walls**

for easy cleaning

**Drainage holes**

in the insert boxes for automated storage on request

# Insert boxes for EF range Euro containers




Container 600 x 400 mm

Insert box	H (mm)	Divider
EK 110-N	96	1/32



Container 600 x 400 mm

Insert box	H (mm)	Divider
EK 111-N	96	1/16
EK 111	110	1/16




Container 600 x 400 mm

Insert box	H (mm)	Divider
EK 112-N	96	1/8
EK 112	110	1/8



Container 600 x 400 mm

Insert box	H (mm)	Divider
EK 113-N	96	1/4
EK 113	110	1/4




Container 600 x 400 mm

Insert box	H (mm)	Divider
EK 114-N	96	1/4 longitudinal
EK 114	110	1/4 longitudinal




Container 600 x 400 mm

Insert box	H (mm)	Divider
EK 115-N	96	1/2 longitudinal
EK 115	110	1/2 longitudinal



Container 600 x 400 mm

Insert box	Height (mm)
4x EK 112 /-N	96 / 110
8x EK 111 /-N	96 / 110




Container 600 x 400 mm

Insert box	Height (mm)
2x EK 113 /-N	96 / 110
2x EK 112 /-N	96 / 110
4x EK 111 /-N	96 / 110

**Insert boxes for Euro containers with 600 x 400 mm base**

Item	for containers (mm)	Dimensions L x W x H (mm)	PU	Order no.
EK 110-N PS	600 x 400	68 x 87 x 96	96	4704
EK 110-N PPL				4708
EK 111-N PS	600 x 400	137 x 87 x 96	48	4364
EK 111-N PPL				4368
EK 111 PS	600 x 400	137 x 87 x 110	48	22644
EK 111 PPL				22648
EK 112-N PS	600 x 400	174 x 137 x 96	40	4374
EK 112-N PPL				4378
EK 112 PS	600 x 400	174 x 137 x 110	40	22634
EK 112 PPL				22638
EK 113-N PS	600 x 400	274 x 174 x 96	36	4384
EK 113-N PPL				4388
EK 113 PS	600 x 400	274 x 174 x 110	36	22624
EK 113 PPL				22628
EK 114-N PS	600 x 400	550 x 87 x 96	36	4394
EK 114-N PPL				4398
EK 114 PS	600 x 400	550 x 87 x 110	36	22614
EK 114 PPL				22618
EK 115-N PS	600 x 400	550 x 174 x 96	18	4404
EK 115-N PPL				4408
EK 115 PS	600 x 400	550 x 174 x 110	18	22604
EK 115 PPL				22608
EK 14-4 PS	600 x 400	355 x 184 x 80	48	7184
EK 14-4 PPL				7188



Boxes / containers  
Modular shelving  
Longspan racking  
Pallet racking  
Cantilever racking  
Mezzanines / platforms  
On-line shelving / KDR shelving  
Semi-automated solutions  
Logistics systems  
Appendix



Insert boxes  
for drawer partitioning► **Polypropylene**

resistant to most oils, acidic and alkaline solutions,  
when used properly dimensionally stable from -20°  
to +100°C



► **Polystyrene**


Polystyrene is very hard and keeps its shape due to its  
amorphous structure



► **Smooth interior walls**


for easy cleaning



**Insert boxes for drawer partitioning**


Item	Dimensions L x W x H (mm)	PU	Order no.	
				
EK 14-2 PP	145 x 95 x 70	20	<b>7101</b>	<b>7104</b>
EK 14-3 PP	230 x 105 x 70	49	–	<b>7174</b>

**Insert boxes for drawer partitioning**

Item	Dimensions L x W x H (mm)	PU	Order no.	
				
EK 10 PS	53 x 38 x 55	40	<b>22761</b>	<b>22764</b>
EK 9 PS	79 x 53 x 55	40	<b>22751</b>	<b>22754</b>
EK 8 PS	107 x 79 x 55	30	<b>22741</b>	<b>22744</b>
EK 12 PS	107 x 79 x 75	20	<b>22781</b>	<b>22784</b>
EK 7 PS	158 x 107 x 55	15	<b>22731</b>	<b>22734</b>
EK 11 PS	158 x 107 x 75	10	<b>22771</b>	<b>22774</b>

**Insert boxes for drawer partitioning**

Item	Dimensions L x W x H (mm)	PU	Order no.	
				
EK 301 PS	58 x 29 x 30	50	<b>4541</b>	–
EK 303 PS	116 x 58 x 30	60	<b>4561</b>	–
EK 304 PS	116 x 116 x 30	30	<b>4571</b>	–
EK 351 PS	53 x 40 x 35	40	<b>22571</b>	<b>22574</b>
EK 352 PS	79 x 53 x 35	50	<b>22581</b>	<b>22584</b>
EK 353 PS	105 x 79 x 35	30	<b>22591</b>	<b>22594</b>
EK 401 PS	54 x 54 x 40	40	–	<b>4654</b>
EK 402 PS	54 x 108 x 40	60	–	<b>4664</b>
EK 403 PS	108 x 108 x 40	24	–	<b>4674</b>
EK 501 PS	72 x 52 x 50	40	<b>4901</b>	<b>4904</b>
EK 502 PS	72 x 104 x 50	40	<b>4911</b>	<b>4914</b>
EK 503 PS	144 x 104 x 50	20	<b>4921</b>	<b>4924</b>
EK 504 PS	144 x 208 x 50	10	<b>4931</b>	<b>4934</b>



Order no. = on stock

Order no. = not on stock

# QX range – Quality plus X



## QX range

When developing the QX family, SSI SCHAEFER's engineers moved away from the traditional container design with numerous ribs. We have succeeded in combining the best elements of recent product developments to create a state-of-the-art container.

Hollow-wall technology is used to make the container exceptionally sturdy. The variant with a vibration-welded base (VS) is capable of handling content loads of up to 70 kg. Naturally, the container is also suitable for conveyor systems and automatic handling systems.

Optionally, the QX can be produced with notches for fixing of vacuum-formed inserts or other component fittings. Standard containers have smooth inner walls. This is an advantage for on-board networks because nothing can jam. The smooth inner walls are also easy to keep clean.

However, the absolute highlight of this product is the innovative stacking rim. It is designed to completely prevent coarse dust and spray water (as per class IP 44) from entering the container.




## QX container – base dimensions 600 x 500 mm

Item	Internal dimensions (base) L x W x H (mm)	Usable internal height when stacked (mm)	Volume (liters)	Base	Order No.
<b>QX 65094 GL01 PP</b>	546 x 446 x 87	67.8	20.7	GL	<b>1123676</b>
<b>QX 65094 VS01 PP</b>	546 x 446 x 71	51.0	17.2	VS	<b>1123680</b>
<b>QX 65114 GL01 PP</b>	546 x 446 x 107	87.8	25.5	GL	<b>56920</b>
<b>QX 65114 VS01 PP</b>	546 x 446 x 91	71.0	22.1	VS	<b>1123682</b>
<b>QX 65128 GL01 PP</b>	546 x 446 x 121	101.8	28.8	GL	<b>1123678</b>
<b>QX 65128 VS01 PP</b>	546 x 446 x 105	85.0	25.5	VS	<b>1123684</b>
<b>QX 65147 GL01 PP</b>	535 x 435 x 140.5	121.5	32.6	GL	<b>56950</b>
<b>QX 65147 VS01 PP</b>	544 x 444 x 124.5	104.5	30.0	VS	<b>56970</b>
<b>QX 65174 GL01 PP</b>	535 x 435 x 167	148.0	38.9	GL	<b>56980</b>
<b>QX 65174 VS01 PP</b>	544 x 444 x 151	131.0	36.5	VS	<b>57000</b>
<b>QX 65213 GL01 PP</b>	535 x 435 x 207	188.0	48.2	GL	<b>57010</b>
<b>QX 65213 VS01 PP</b>	544 x 444 x 191	170.5	46.1	VS	<b>57030</b>
<b>QX 65280 GL01 PP</b>	535 x 435 x 273	254.0	63.5	GL	<b>57040</b>
<b>QX 65280 VS01 PP</b>	544 x 444 x 257	237.0	62.1	VS	<b>57060</b>

**GL** Smooth base (max. content load 20 kg)

**VS** Vibration-welded base (max. content load 70 kg)



## Pallet covers and lids

Other colors and sizes available on request.

Item	L x W (mm)		Order No.
<b>QX-D 65</b>	600 x 500	Lid	<b>1200458</b>
<b>QX-D 106</b>	1,000 x 600	Lid	<b>1200121</b>
<b>QX-D 106-1</b>	1,000 x 600	Slip-on lid	<b>5810003</b>
<b>QX-A 1210</b>	1,200 x 1,000	Pallet cover	<b>5810005</b>

**Order No.** = on stock

**Order No.** = not on stock

# QX range

BLACK-




GRAY

Additional colors available on request



- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Keeps its shape and robust**
- ▶ **Reinforced base**  
for reliable and safe storage using ASPW systems
- ▶ **Double-walled corner frame design**  
for high torsion resistance with high stacking loads
- ▶ **Lifting slots**  
for automated handling
- ▶ **Overhand hand grips**  
at both short sides
- ▶ **Innovative rim designed for water run-off**  
for protection against water and foreign bodies (Ø > 1 mm) to IP 44
- ▶ **Optional drainage holes in the base**  
as per the VDS directive for HHS3 classification
- ▶ **Conductive models**  
available on request



QX containers with optional notches



Smooth standard base GL01 (max. content load 20 kg)

Reinforced base with vibration-welded plate VS01 (max. content load 70 kg)




## Matching plastic pallets

on request

### QX container – base dimensions 1,000 x 600 mm

Item	Internal dimensions (base) L x W x H (mm)	Usable internal height when stacked (mm)	Volume (liters)	Base	Order No.
QX 106094 GL01 PP	929 x 535 x 86	67.0	44.0	GL	57810
QX 106094 VS01 PP	938 x 544 x 70	50.0	36.0	VS	57830
QX 106114 GL01 PP	929 x 535 x 106	87.0	54.0	GL	57780
QX 106114 VS01 PP	938 x 544 x 91	71.0	46.0	VS	57800
QX 106147 GL01 PP	929 x 535 x 139	120.0	71.2	GL	57750
QX 106147 VS01 PP	938 x 544 x 124	104.0	63.5	VS	57770
QX 106174 GL01 PP	929 x 535 x 167	148.0	83.0	GL	57070
QX 106174 VS01 PP	938 x 544 x 151	131.0	77.1	VS	57090
QX 106213 GL01 PP	929 x 535 x 207	188.0	102.9	GL	56860
QX 106213 VS01 PP	938 x 544 x 191	170.5	97.5	VS	57110
QX 106280 GL01 PP	929 x 535 x 273	254.0	135.7	GL	57120
QX 106280 VS01 PP	938 x 544 x 257	237.0	131.1	VS	57140
QX 106415 GL01 PP	929 x 535 x 408	389.0	202.8	GL	57150
QX 106415 VS01 PP	938 x 544 x 392	372.0	200.0	VS	56710



**GL** Smooth base (max. content load 20 kg)

**VS** Vibration-welded base (max. content load 70 kg)

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms




On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

# R-KLT range to VDA 4500




**RAL 5003**

- **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- **Keeps its shape and robust**
- **Fully recyclable**
- **Ergonomic handles**
- **Lifting slots**  
for automated handling
- **Optimized usable volume**
- **Smooth interior walls**  
for easy cleaning
- **Compatible**  
with all Euro dimension containers and KLT models
- **VDA standard 4500**

### R-KLT containers with composite base

Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	Order No.
R-KLT 3215	243 x 162 x 129.5	5.3	20704
R-KLT 4315	346 x 265 x 109.5	10.1	20714
R-KLT 4322	346 x 265 x 176.1	16.2	79384
R-KLT 4329	346 x 265 x 242.3	22.3	20724
R-KLT 6415	544 x 364 x 109.5	21.8	20794
R-KLT 6422	544 x 364 x 175.8	34.9	79414
R-KLT 6429	544 x 364 x 242.0	48.1	20734



### On-line shelving

from page G1

**Lid**

As per VDA recommendation 4500. Compatible with the range RL-KLT. Dustproof closing. Containers can also be stacked safely with a lid. Material: polypropylene. Color: blue (RAL 5005).

Item	for containers L x W (mm)	Order No.
KLT-D 35	297 x 198	20854
KLT-D 45	396 x 297	20834
KLT-D 65	594 x 396	20844

Order no. = on stock    Order no. = not on stock

PPL BLACK





- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Keeps its shape and robust**
- ▶ **Fully recyclable**
- ▶ **Ergonomic handles**
- ▶ **Optimized usable volume**
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Compatible**  
with all Euro dimension containers and KLT models
- ▶ **VDA standard 4504 / 4 - 10**

▶ **Electrostatic discharge polypropylene (PPL)**

Specific contact resistance	normal PE/PP 10 <sup>18</sup> Ohm x cm <	<b>PPL</b> ≥ 1 x 10 <sup>4</sup> x ≤ 1 x 10 <sup>10</sup> Ohm
Specific surface resistance	10 <sup>14</sup> Ohm	≥ 1 x 10 <sup>4</sup> x ≤ 1 x 10 <sup>10</sup> Ohm


# R-KLT range to VDA 4504 – electrostatic discharge



Robust composite base

**R-KLT containers – electrostatic discharge**

Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	Order No.
KLT 3115 ESD	243 x 162 x 129.5	5.3	20888
R-KLT 4115 ESD	346 x 265 x 109.5	10.1	20718
R-KLT 4129 ESD	346 x 265 x 242.3	22.3	20728
R-KLT 6115 ESD	544 x 364 x 109.5	21.8	20798
R-KLT 6122 ESD	544 x 364 x 175.8	34.9	79418
R-KLT 6129 ESD	544 x 364 x 242.0	48.1	20738



**Lid**





As per VDA recommendation 4504. Compatible with the range RL-KLT. Dustproof closing. Containers can also be stacked safely with a lid. Material: polypropylene, electrostatic discharge. Color: black.

Item	for containers L x W (mm)	Order No.
KLT-D 31 ESD	297 x 198	20838
KLT-D 41 ESD	396 x 297	20848
KLT-D 61 ESD	594 x 396	20858



Boxes / containers  
Modular shelving  
Longspan racking  
Pallet racking  
Cantilever racking  
Mezzanines / platforms  
On-line shelving / KDR shelving  
Semi-automated solutions  
Logistics systems  
Appendix

# RL-KLT range to VDA 4500



**RAL 5005**

Icons: RAL 5005, EU, PP, Recycle, AKL, AKL, AKL

- **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- **Keeps its shape and robust**
- **Fully recyclable**
- **Ergonomic handles**
- **Lifting slots**  
for automated handling
- **Optimized usable volume**
- **Smooth interior walls**  
for easy cleaning
- **Compatible**  
with all Euro dimension containers and KLT models
- **Optional drain holes in the base**  
as per the VDS directive for HHS3 classification (with the exception of RL-KLT 3147)
- **VDA standard 4500**

## RL-KLT containers with smooth base

Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	Order No.
RL-KLT 3147	243 x 162 x 129.5	5.3	20744
RL-KLT 4147	345 x 260 x 129.5	11.8	20754
RL-KLT 4213	345 x 260 x 196.1	17.9	79374
RL-KLT 4280	345 x 260 x 262.3	24.2	20764
RL-KLT 6147	544 x 359 x 129.5	25.7	20784
RL-KLT 6213	544 x 359 x 195.8	38.9	79404
RL-KLT 6280	544 x 359 x 262.0	52.1	20774

## On-line shelving

from page G1

### Lid

As per VDA recommendation 4500.  
Compatible with the range RL-KLT.  
Dustproof closing. Containers can also be stacked safely with a lid. Material: polypropylene. Color: blue (RAL 5005).

Item	for containers L x W (mm)	Order No.
KLT-D 35	297 x 198	20854
KLT-D 45	396 x 297	20834
KLT-D 65	594 x 396	20844

Order No. = on stock



PPL BLACK




- **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- **Keeps its shape and robust**
- **Fully recyclable**
- **Ergonomic handles**
- **Lifting slots**  
for automated handling
- **Optimized usable volume**
- **Smooth interior walls**  
for easy cleaning
- **Compatible**  
with all Euro dimension containers and KLT models
- **Optional drain holes in the base**  
as per the VDS directive for HHS 3 classification (with the exception of KLT 3115 ESD)

► **Electrostatic discharge polypropylene (PPL)**


Specific contact resistance	normal PE/PP 10 <sup>18</sup> Ohm x cm <	<b>PPL</b> ≥ 1 x 10 <sup>4</sup> x ≤ 1 x 10 <sup>10</sup> Ohm
Specific surface resistance	10 <sup>14</sup> Ohm	≥ 1 x 10 <sup>4</sup> x ≤ 1 x 10 <sup>10</sup> Ohm

# RL-KLT range to VDA 4504 – electrostatic discharge



**RL-KLT containers – electrostatic discharge**

Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	Order No.
KLT 3115 ESD	243 x 162 x 129.5	5.3	20888
RL-KLT 4047 ESD	345 x 260 x 129.5	11.8	20898
RL-KLT 4013 ESD	345 x 260 x 196.1	17.9	1123608
RL-KLT 4080 ESD	345 x 260 x 262.3	24.2	20908
RL-KLT 6047 ESD	544 x 359 x 129.5	25.7	20868
RL-KLT 6013 ESD	544 x 359 x 195.8	38.9	1123618
RL-KLT 6080 ESD	544 x 359 x 262.0	52.1	20878



**Lid**

As per VDA recommendation 4504.  
Compatible with the range RL-KLT.  
Dustproof closing. Containers can also be stacked safely with a lid. Material: polypropylene, electrostatic discharge. Color: black.

Item	for containers L x W (mm)	Order No.
KLT-D 31 ESD	297 x 198	20838
KLT-D 41 ESD	396 x 297	20848
KLT-D 61 ESD	594 x 396	20858



Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms








On-line shelving / KDR shelving

Semi-automated solutions


Logistics systems

Appendix

**RAL 5012**

# C-KLT range to VDA 4500



Robust composite base




- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Keeps its shape and robust**
- ▶ **Fully recyclable**
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **Manual and automatic handling**
- ▶ **Secure stand and interlocking stacking**  
due to base ripping with stacking feet
- ▶ **Usable in ASPW systems**  
due to drawing grooves on the short and sides
- ▶ **Horizontal and vertical gripping**  
using the KLT grooves and lifting slots
- ▶ **Gripping/clamping technology on the long side**  
due to two vertical grooves
- ▶ **Automated parts removal**  
and transfer to empty stack
- ▶ **Hazardous goods container**  
available with UN labeling
- ▶ **VDA standard 4500**

## C-KLT containers with composite base

Item	Int. dimensions of base L x W x Usable H (mm)	Volume (liters)	Filling weight max. (kg)	Stacking load max. (kg)*	Order No.
C-KLT 3214	260 x 136 x 129.9	4.7	30	400	15764
C-KLT 4314	334 x 247 x 105.5	8.7	50	600	15774
C-KLT 4321	334 x 247 x 171.8	14.2	50	600	1604
C-KLT 4328	334 x 247 x 238.0	19.6	50	600	15784
C-KLT 6414	532 x 346 x 100.5	18.5	50	600	15804
C-KLT 6417	532 x 346 x 127.0	23.4	50	600	1614
C-KLT 6421	532 x 346 x 166.8	30.7	50	600	1624
C-KLT 6428	532 x 346 x 233.0	42.9	50	600	15794

\* Distributed over the area



### Lid

Sealable, dustproof closing.. Containers with lid, stackable, immersion depth 15 mm.

Material: polypropylene, color: blue (RAL 5012).

Item	for containers L x W (mm)	Order No.
C-KLT-D 32	297 x 198	16514
C-KLT-D 43	396 x 297	16414
C-KLT-D 64	594 x 396	16424



### Layer separator


With rounded handles, protects sensitive stacked parts.

Material: polypropylene, color: blue (RAL 5012).


Item	Dimensions L x W x H (mm)	Order No.
ZL 43	329.0 x 243.0 x 3	39684
ZL 64	526.5 x 341.5 x 3	39694

Order No. = on stock

RAL 5012



- ▶ **Folding KLT**  
folding dimension: 94.5 mm, stacked 79.5 mm,  
filling weight: 20 kg
- ▶ **Durable**  
due to sturdy container design
- ▶ **Fully compatible with all KLT boxes,**  
especially suitable for use in the automotive  
industry
- ▶ **VDA standard 4500**
- ▶ **Volume reduction**  
of up to 65% for return transport




▶ **Conductive polypropylene (PPL)**

PPL BLACK



Specific contact resistance	normal PE/PP 10 <sup>18</sup> Ohm x cm <	<b>PPL</b> 10 <sup>3</sup> Ohm x cm
Specific surface resistance	10 <sup>14</sup> Ohm	<b>10<sup>4</sup> Ohm</b>


# Folding KLT as per VDA 4500



Robust composite base

**Folding KLT as per VDA 4500 composite base**

Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	Order No.
F-KLT 6410	534 x 357 x 237.4	46.0	<b>2204</b>



**Pallet covers**

For covering entire stacks of containers on a euro pallet. Designed for banding. Suitable for all KLT containers.  
Other colors and sizes available on request.

Item	for pallets L x W (mm)	Order No.
A 1208	1,200 x 800	<b>39704</b> –
A 1208-1	1,200 x 800	<b>35614</b> –
A 1208-1 ESD	1,200 x 800	– <b>35718</b>

Order No. = not on stock

**Additional container versions and ranges**  
on request

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix


## ECOftech folding boxes for industrial applications

SSI SCHAEFER developed the ECOftech folding box with and without access openings for industrial applications. Equipped with an active locking mechanism and ergonomically shaped handles, this folding box generation can be followed up quickly and safely without any fixed order, which reduces volume by approximately 80%.

ECOftech is designed for all ASPW applications and conveyor systems and is also suitable for full automation. With a content load of 20 kg and a usable internal volume of 55 liters, the folding box has numerous applications for the industrial, commercial and service sectors.

The container variant with two-sided access opening and sliding mechanism enables especially rapid and safe access to the products. The large access opening on the short sides not only increases order picking performance but also enables articles to be removed easily when the container is stacked.

The ECOftech ECT folding box bears the "Product of the Year 2011" seal of quality. The innovative containers prevailed over the competition, taking first place in the storage and transport systems category in the best plastic product competition organized by the Pro-K association.



BLUE GRAY



Additional colors available on request

- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Faster folding**  
without fixed folding sequence
- ▶ **Smooth interior walls**  
for easy cleaning
- ▶ **With reinforced base**  
also suitable for ASPW and conveyor systems
- ▶ **Suitable for full automation**
- ▶ **Volume reduced by approx. 80%**
- ▶ **Awarded "Product of the Year 2011"**  
by the Pro-K association in the "Storage and transport systems" category



# EC0tech ECT folding boxes




## EC0tech ECT 6285

Polypropylene. With an active locking mechanism and ergonomically shaped handles, alternatively with access opening on one or both sides.

Height collapsed individually: 59 mm  
 Height collapsed in a stack: 49 mm  
 Max. content load: 20 kg

Item	Internal dimensions of the base L x W x Usable H (mm)	Access opening W x H (mm)	Volume (liters)	Order No.
<b>ECT 6285 GL</b>	563 x 367 x 272.5 with active locking mechanism	-	55.8	<b>54044 54045</b>
<b>ECT 6285 GL-1SK</b>	563 x 367 x 272.5 with one-sided access opening	254 x 125	55.8	<b>56334 56335</b>
<b>ECT 6285 GL-2SK</b>	563 x 367 x 272.5 with two-sided access opening	254 x 125	55.8	<b>56344 56345</b>
<b>ECT 6285 GT</b>	563 x 367 x 269 with perforated bases and sides	-	55.8	<b>54064 54065</b>




Order No. = on stock

Order No. = not on stock

## Other container designs

on request



Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

# FK – the foldable and collapsible containers for warehousing and transportation


The demanding standards of the current packaging regulations require reusable transport containers. These containers are essential to the prevention of packaging waste. Depending on the type of box, folding reduces the container volume by approx. 80% for empty return transport.


All of the folding plastic containers from SSI SCHAEFER are designed

for euro pallet dimensions. The FK containers are distinguished by their large, rigid upper lip. The boxes are very torsion-resistant, which ensures safe stacking, especially when used without a lid.

The collapsible design can be used only with a lid and represents a cost-effective alternative to the folding design when shipping light goods.



**BLUE** **GRAY**





Additional colors available on request

- ▶ **Polypropylene**  
resistant to most oils, acidic and alkaline solutions, sound insulation effect when used on conveying sections, when used properly dimensionally stable from -20° to +100°C
- ▶ **Nominal sizes:**  
**600 x 400 mm / 800 x 600 mm**
- ▶ **Keeps its shape and robust**
- ▶ **Good handling**  
thanks to ergonomic handle variants
- ▶ **Hinged, divided lid**  
secured with seal
- ▶ **With base ripping**  
also suitable for APSW systems
- ▶ **Volume reduced by approx. 80%**



### FK containers

Item	External dimensions L x W x H (mm)	Volume (liters)	H (mm) folded	H (mm) folded in stack	Order No.
<b>FKE 6285</b>	599 x 399 x 285	57.0	79	69	<b>93684</b> <b>93685</b>
<b>FK 6300</b>	599 x 399 x 300	58.0	74	67	<b>93384</b> <b>93385</b>
<b>FKE 6320-2</b>	599 x 399 x 320	65.0	79	69	<b>90404</b> <b>90405</b>
<b>FKE-D 6320-2</b>	599 x 399 x 332	65,0	91	71	<b>90424</b> -
<b>FK 8320</b>	798 x 598 x 320	126.0	135	123	<b>9264</b> <b>9265</b>
<b>FK 8450</b>	798 x 598 x 450	180.0	135	123	<b>93364</b> <b>93365</b>
<b>FK-DL 8450</b>	with lid, interior, hinged on long side			126	<b>93474</b> -

Order No. = on stock

Order No. = not on stock

# Accessories for FK containers



**Pallet cover**

Stackable. For covering stacked FK containers. With banding grooves and indentations for stacking dollies. Height when stacked 30 mm. Color: black.

Item	Dimensions L x W x H (mm)	Order No.
ADH 86	814 x 614 x 44	93628



**Roll-Fix**

LTS tray with 4 swivel castors Ø 80 mm. Closed platform made of polypropylene with 15 mm high stacking rim. Suitable for FK containers 600 x 400 mm. Load capacity: 200 kg.

Item	Dimensions L x W x H (mm)	Type	Order No.
RO 460	594 x 396 x 150	with plastic castors	22201 22205
RO 461	594 x 396 x 150	with solid rubber castors	22211 22215



**Dolly**

Dolly with 2 swivel castors and 2 rigid castors Ø 125 mm, ground clearance 115 mm, load capacity up to 450 kg. The dollies can be stacked securely for return transport and storage. Height when stacked 130 mm. The maximum stacking height on the pallet is 1.80 m.

The dolly guarantees easy transport of the FK containers in the order picking zone and within the company. The dolly is suitable for the transportation with forklifts (ground clearance 115 mm).

Item	Dimensions L x W x H (mm)	Order No.
RLP 86	800 x 600 x 200	93608



Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix

## Nesting storage and transport – saves space when empty



Nesting storage and transport containers offer economic solutions and diverse applications for reusable transport logistics and order picking.

The three basic options for reducing the volume of containers with rigid outer walls are:

- ▶ Tapered containers with bail arms – stackable either in or on top of each other using 180° lockable bail arms (see KMB with bail arms).
- ▶ Stack and nest containers can be stacked with and without a lid. If they are empty they can be stacked inside each other by rotating them 180°.
- ▶ Tapered containers can only be stacked on top of each other with a lid. When empty, they can be stacked inside each other without a lid.





BLUE




Additional colors available on request



- ▶ **Polypropylene**  
resistant to most acids and alkalis, when used correctly, retains its stability at temperatures between -20° and +90° Celsius, the base material is suitable for use with foodstuffs
- ▶ **Space gain**  
75% space gain when empty
- ▶ **Automatic unstacking possible**  
from sides and front
- ▶ **Ergonomic**  
thanks to comfortably designed hand grips
- ▶ **Easy cleaning**  
thanks to smooth surfaces and optional placed water drainage holes
- ▶ **Low noise**  
when used on conveying sections
- ▶ **Good grip**  
on belt conveyors due to rough base
- ▶ **Barcode areas**  
protected against damage and dust due to special arrangement


# KMB – tapered multi-purpose containers



Smooth sub-floor (max. content load 20 kg)

## KMB – stack and nest multi-use containers with bail arms

Item	Internal dim. of the base L x W x Usable H (mm)	External dim. with anti-lifting device L x W (mm)	External dim. of the base L x W (mm)	Volume (liters)	Order no.
KS 3153	242 x 150 x 150	–	245 x 153	6.3	16474
KMB 422	315 x 235 x 220	407 x 299	320 x 240	18.0	75514
KMB 610	500 x 330 x 100	607 x 399	505 x 335	18.0	79324
KMB 617	500 x 330 x 170	607 x 399	505 x 335	29.0	75364
KMB 622	500 x 330 x 220	607 x 399	505 x 335	38.0	75544
KMB 627	500 x 330 x 270	607 x 399	505 x 335	47.0	75424
KMB 632	500 x 330 x 320	607 x 399	505 x 335	58.0	75604
KMB 642	500 x 330 x 420	607 x 399	505 x 335	74.0	75924
KMB 832	700 x 330 x 320	807 x 399	705 x 335	76.0	75664



Grip ribs prevent conveyor accumulation override



Bail arm opening



Side unstacking tool aperture

Order No. = on stock

Order No. = not on stock

Boxes / containers  
Modular shelving  
Longspan racking  
Pallet racking  
Cantilever racking  
Mezzanines / platforms  
On-line shelving / KDR shelving  
Semi-automated solutions  
Logistics systems  
Appendix

# KMB with bail arms



Stacking principal with bail arms

**BLUE**

**Additional colours on request**

**In addition to:**


the KMB advantages (see page A47)

- ▶ **Easy to handle bail arms**
- ▶ **High handling security**  
simple handling thanks to locking function
- ▶ **Exact fit**  
exact fit of the bail arms – turned out or turned in
- ▶ **Strong bail arms**  
material reinforced with glass fibre
- ▶ **Each bail arm is replaceable**
- ▶ **No limitation**  
of the effective volume



Bail arms for stacking when full or empty with a rotation of 180° and locking device

### KMB – stack and nest multi-use containers with bail arms



Artikel	Internal dim. of the base L x W x Usable H (mm)	External dim. with anti-lifting device L x W (mm)	External dim. of the base L x W (mm)	Incl. the following accessories	Volume (liters)	Order No.
<b>KMB-B 422</b>	315 x 235 x 218	407 x 299	320 x 240	2 bail arms KMB-B 300	18.0	<b>75524</b>
<b>KMB-B 610</b>	500 x 330 x 98	607 x 399	505 x 335	2 bail arms KMB-B 400	18.0	<b>79334</b>
<b>KMB-B 617</b>	500 x 330 x 168	607 x 399	505 x 335	2 bail arms KMB-B 400	29.0	<b>75374</b>
<b>KMB-B 622</b>	500 x 330 x 208	607 x 399	505 x 335	2 bail arms KMB-B 400	38.0	<b>75554</b>
<b>KMB-B 627</b>	500 x 330 x 268	607 x 399	505 x 335	2 bail arms KMB-B 400	47.0	<b>75434</b>
<b>KMB-B 632</b>	500 x 330 x 318	607 x 399	505 x 335	2 bail arms KMB-B 400	58.0	<b>75614</b>
<b>KMB-B 642</b>	500 x 330 x 418	607 x 399	505 x 335	2 bail arms KMB-B 400	74.0	<b>75934</b>
<b>KMB-B 832</b>	700 x 330 x 318	807 x 399	705 x 335	2 bail arms KMB-B 400	76.0	<b>75674</b>



Bail arm folded for empty stacking



Bail arms folded in for stacking



Retaining mechanism of the bail arm

**Order No. = on stock**

**Order No. = not on stock**

BLUE



Additional colours on request




# KMB with two-piece hinged lid

**In addition to:**

to the KMB advantages (see page A47)

- ▶ **Stackable when closed**  
with various nominal sizes and heights
- ▶ **Optimally protects the stored goods**  
against soiling
- ▶ **High access security**  
due to crimp sealing
- ▶ **Additional securing**  
using banding grooves
- ▶ **Large volume reduction**  
when empty due to the closely fitting lid
- ▶ **Every lid can be replaced individually**  
due to the hinge system



Stacking with closed lid

Sealing




Stacking with hinged lid



**KMB – stack and nest multi-use containers with hinged lid**

Item	Internal dim. of the base L x W x Usable H (mm)	External dim. with anti-lifting device L x W (mm)	External dim. of the base L x W (mm)	Incl. the following accessories	Volume (liters)	Order No.
KMB-DH 422	315 x 235 x 213	409 x 299	320 x 240	1x KMB-DH 43, 4x KMB-DS*	18.0	75534
KMB-DH 610	500 x 330 x 92	609 x 399	505 x 335	1x KMB-DH 64, 6x KMB-DS*	18.0	79344
KMB-DH 617	500 x 330 x 162	609 x 399	505 x 335	1x KMB-DH 64, 6x KMB-DS*	29.0	75384
KMB-DH 622	500 x 330 x 212	609 x 399	505 x 335	1x KMB-DH 64, 6x KMB-DS*	38.0	75564
KMB-DH 627	500 x 330 x 262	609 x 399	505 x 335	1x KMB-DH 64, 6x KMB-DS*	47.0	75444
KMB-DH 632	500 x 330 x 312	609 x 399	505 x 335	1x KMB-DH 64, 6x KMB-DS*	58.0	75624
KMB-DH 642	500 x 330 x 412	609 x 399	505 x 335	1x KMB-DH 64, 6x KMB-DS*	74.0	75944
KMB-DH 832	700 x 330 x 311	809 x 399	705 x 335	1x KMB-DH 84, 10x KMB-DS*	76.0	75684



\* Hinged lid KMB-DH and hinges KMB-DS



Crimp sealing option



Lid folds outwards closely



Banding grooves

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking


Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems

Appendix



## Accessories for KMB

### Slip-on lid

For the KMB-B range.

Lids completely encase the container and also include a banding option along with a sealing opening. The containers remain stackable even with a lid. Loose lids can be stacked together to save space.

The roughened center area simplifies label handling.

Material: Polypropylene.

Item	for nominal size L x W (mm)	Type	Order No.
<b>KS-D 3153</b>	300 x 200	with living hinge and snap-lock fastener, foldable	<b>16484</b>
<b>KMB-D 43</b>	400 x 300		<b>75344</b>
<b>KMB-D 64</b>	600 x 400		<b>75354</b>
<b>KMB-D 84</b>	800 x 400		<b>75334</b>

## KS tapered stack and nest containers

### KS 18

Polypropylene, with label holders 100 x 60 mm on both sides in the lip for coding and labeling, smooth inner walls.

External dimensions top/bottom: L 775/655 x W 535/415 x H 310 mm

Item	Interior dimensions top/bottom L x W x H (mm)	Volume (liters)	Order No.			
<b>KS 18</b>	720/640 x 480/400 x 307	90.0	<b>15171</b>	<b>15172</b>	<b>15173</b>	<b>15174</b>

### Lid for KS 18

Item	Type	Order No.			
<b>KS-D 18</b>	with banding grooves	<b>15291</b>	<b>15292</b>	<b>15293</b>	<b>15294</b>

**i** Additional container versions and ranges  
on request





# EUROFIX Box

RED GREEN YELLOW BLUE




- ▶ A “stack and nest” container means that: when empty, the containers may be nested inside one another, but when full, they can be turned through 180° and stacked on top of each other even without lids
- ▶ Enormous storage space saving without surplus stock and transport of empty containers



## Stack and nest container EUROFIX Box

Made from polypropylene with Euro dimensions (base dimension L 600 x W 400 mm). The three heights can be stacked together. Excellent qualities of the EUROFIX Box make it ideal for use on conveyors and as an environmentally friendly order-picking and transport container.


Item	Useable internal dim. top/bottom L x W x H (mm) when stacked	Volume (liters)	Order no.
EFB 642	504/472 x 363/325 x 178	36.0	<b>25801</b> <b>25802</b> <b>25803</b> <b>25804</b>
EFB 643	504/472 x 363/325 x 278	54.0	<b>25831</b> <b>25832</b> <b>25833</b> <b>25834</b>
EFB 644	504/472 x 363/325 x 378	72.0	<b>25861</b> <b>25862</b> <b>25863</b> <b>25864</b>




## Lid

With external open hand grip (no volume loss). Compatible with all types. Space saving stackable. Stacking lugs ensure stability of stacked boxes. Banding grooves for secure banding of stapled boxes.

Item	Order no.
EFB-D	<b>25891</b> <b>25892</b> <b>25893</b> <b>25894</b>



Boxes / containers  
Modular shelving  
Longspan racking  
Pallet racking  
Cantilever racking  
Mezzanines / platforms  
On-line shelving / KDR shelving  
Semi-automated solutions  
Logistics systems  
Appendix







# Fix-Box







## Fix-Box FB 600

Polyethylene. Capable of carrying heavy loads, sturdy, with hand grips in the strong rims. Transport container for rail and road. Can be stacked when closed.

External dimensions: L 600 x W 400 x H 250 mm

Item	Internal dim. top/bottom L x W x H (mm)	Volume (liters)	Order no.
			   
<b>FB 600</b>	550/500 x 360/325 x 247	40.0	<b>8351</b> <b>8352</b> <b>8353</b> <b>8354</b>

## Lid for Fix-Box FB 600





Item	Finish	Order no.
		   
<b>FB-D 600</b>	with stacking corners	<b>8361</b> <b>8362</b> <b>8363</b> <b>8364</b>



## Fix-Box FB 603

Polypropylene, with open hand grips at the front ends, without lid.

External dimensions: L 597 x W 397 x H 300 mm





Item	Internal dim. top/bottom L x W x H (mm)	Volume (liters)	Order no.
			   
<b>FB 603</b>	565/530 x 364/334 x 297	57.0	<b>12481</b> <b>12482</b> <b>12483</b> <b>12484</b>







## Fix-Box FB 604

Polypropylene. This model is also compatible with Euro-pallet dimensions of 1,200 x 800 mm. Open hand grips on both front sides for easy handling. Can be stacked even with lid.

External dimensions: L 600 x W 400 x H 350 mm

Item	Internal dim. top/bottom L x W x H (mm)	Volume (liters)	Order no.
			   
<b>FB 604</b>	502/475 x 354/317 x 347	62.0	<b>8381</b> <b>8382</b> <b>8383</b> <b>8384</b>

## Lid for Fix-Box FB 604

Item	Finish	Order no.
		   
<b>FB-D 604</b>	with stacking corners	<b>15051</b> <b>15052</b> <b>15053</b> <b>15054</b>

Order No. = on stock

Order No. = not on stock



# Fix-Box

## Fix-Box FB 530

Polypropylene. With shell hand grips. Suitable for Euro-pallets.  
External dimensions: L 540 x W 320 x H 170 mm



Item	Internal dim. top/bottom L x W x H (mm)	Volume (liters)	Order no.
<b>FB 530</b>	420/425 x 275/255 x 167	17.0	<b>12471</b> <b>12472</b> <b>12473</b> <b>12474</b>

## Fix-Box FB 601


Polypropylene. With shell hand grips at the front ends integrated into the stacking rim. Suitable for Euro-pallets.  
External dimensions, top: L 585 x W 375 x H 200 mm



Item	Internal dim. top/bottom L x W x H (mm)	Volume (liters)	Order no.
<b>FB 601</b>	490/420 x 330/300 x 196	30.0	<b>8441</b> <b>8442</b> <b>8443</b> <b>8444</b>

## Lid for Fix-Box FB 601

Item	Finish	Order no.
<b>FB-D 601</b>	with stacking corners	<b>20905</b>



**i** Additional container versions and ranges  
on request



Boxes /  
containers

Modular  
shelving

Longspan  
racking

Pallet  
racking

Cantilever  
racking

Mezzanines /  
platforms

On-line shelving /  
KDR shelving

Semi-automated  
solutions

Logistics  
systems

Appendix

## Sheet steel boxes and containers

SSI SCHAEFER's sheet steel boxes and containers combine sturdiness, quality and economy. The extremely robust container systems are highly resistant to mechanical loads.

As a consequence, heavy goods such as solid materials, cast or forged parts can be transported, stored and picked safely and efficiently.

Whether for production preparation, the warehouse, shipping companies, order-picking or transport, sheet steel boxes and sheet steel containers can always fulfill the most demanding standards.








Sheet steel boxes and containers

Appendix	Logistics systems	Semi-automated solutions	On-line shelving / KDR shelving	Mezzanines / platforms	Cantilever racking	Pallet racking	Longspan racking	Modular shelving	Boxes / containers
----------	-------------------	--------------------------	---------------------------------	------------------------	--------------------	----------------	------------------	------------------	--------------------

# Semi-open front storage containers – 14/7 range made of sheet steel




**BLUE-GRAY**




**PAINTED**

**SHEET STEEL**




**GALVANIZED\***






- ▶ **Sheet steel**  
for high mechanical loads, painted blue-gray or immersion galvanized
- ▶ **High stacking loads**
- ▶ **Stackable**  
with LF series made of plastic, 14/6 range made of plastic and steel
- ▶ **Very sturdy**  
due to the rolled stacking rim

\* Surface quality: galvanized acc. to DIN EN ISO 1461



## Sheet steel semi-open front storage containers – 14/7 range

Item	Nominal dimensions L x W x H (mm)	Max. load (kg)		Volume (liters)	Order No.	
		Single	Stacked			
<b>14/7-5 I</b>	165/136 x 95 x 75	2.5	25	0.9	<b>6930</b>	–
<b>14/7-5 v</b>					–	<b>6940</b>
<b>14/7-4 I</b>	235/200 x 140 x 128	8	120	3.5	<b>6890</b>	–
<b>14/7-4 v</b>					–	<b>6900</b>
<b>14/7-3 Z I</b>	353/300 x 200 x 145	60	600	8.0	<b>6850</b>	–
<b>14/7-3 Z v</b>					–	<b>6860</b>
<b>14/7-3 I</b>	352/300 x 200 x 200	60	1,000	11.5	<b>6810</b>	–
<b>14/7-3 v</b>					–	<b>6820</b>
<b>14/7-2 H I</b>	503/450 x 300 x 142	80	600	17.0	<b>6770</b>	–
<b>14/7-2 H v</b>					–	<b>6780</b>
<b>14/7-2 I</b>	515/450 x 300 x 200	120	1,200	26.0	<b>6720</b>	–
<b>14/7-2 v</b>					–	<b>6730</b>
<b>14/7-2 Z I</b>	540/450 x 300 x 300	150	1,500	41.0	<b>6690</b>	–
<b>14/7-2 Z v</b>					–	<b>6700</b>
<b>14/7-1 Z I</b>	538/450 x 450 x 300	150	1,500	60.0	<b>6670</b>	–
<b>14/7-1 Z v</b>					–	<b>6680</b>
<b>14/7-1 I</b>	720/630 x 450 x 295	180	2,500	83.0	<b>6650</b>	–
<b>14/7-1 v</b>					–	<b>6660</b>



Order No. = on stock

Order No. = not on stock

# Accessories for 14/7 range made of sheet steel



## Dividers

Galvanized sheet steel for lengthwise partitioning of the containers.

Item	for containers	PU	Order No.
ZW-3-B	14/7-3	1 divider and 1 pair of slotted strips	7050
ZW-2-B	14/7-2	1 divider and 1 pair of slotted strips	7040
ZW-1-B	14/7-1	1 divider and 1 pair of slotted strips	7030

Boxes /  
containers

Modular  
shelving

Longspan  
racking

Pallet  
racking

Cantilever  
racking

Mezzanines /  
platforms

On-line shelving /  
KDR shelving

Semi-automated  
solutions

Logistics  
systems

Appendix

# Stackable transportation containers – 14/6 range made of sheet steel




**BLUE-GRAY** **SHEET STEEL**

**PAINTED** **GALVANIZED\***

- ▶ **Sheet steel**  
for high mechanical loads, painted blue-gray or immersion galvanized
- ▶ **High stacking loads**
- ▶ **Stackable**  
with LF series made of plastic, 14/7 range made of steel, 14/6 range made of plastic
- ▶ **Very sturdy**  
due to the rolled stacking rim

\* Surface quality: galvanized acc. to DIN EN ISO 1461

## Sheet steel stackable transport containers – 14/6 range



Item	Nominal dimensions L x W x H (mm)	Max. load (kg)		Volume (liters)	Order No.	
		Single	Stacked			
<b>14/6-4 I</b>	200 x 140 x 130	8	120	3.2	<b>8130</b>	–
<b>14/6-4 v</b>					–	<b>8140</b>
<b>14/6-3 I</b>	300 x 200 x 150	60	1,000	8.0	<b>8100</b>	–
<b>14/6-3 v</b>					–	<b>8110</b>
<b>14/6-B I</b>	350 x 200 x 200	80	1,000	12.8	<b>8180</b>	–
<b>14/6-B v</b>					–	<b>8190</b>
<b>14/6-2 H I</b>	450 x 300 x 120	100	1,000	14.2	<b>16520</b>	–
<b>14/6-2 H v</b>					–	<b>16540</b>
<b>14/6-2 I</b>	450 x 300 x 200	120	1,200	24.9	<b>8070</b>	–
<b>14/6-2 v</b>					–	<b>8080</b>
<b>14/6-2 Z I</b>	450 x 300 x 300	150	1,200	38.4	<b>15880</b>	–
<b>14/6-2 Z v</b>					–	<b>15890</b>
<b>14/6-A I</b>	500 x 300 x 200	120	1,200	27.7	<b>8160</b>	–
<b>14/6-A v</b>					–	<b>8170</b>
<b>10/6-b I</b>	500 x 300 x 208	200	1,500	27.4	<b>8270</b>	–
<b>10/6-b v</b>					–	<b>8280</b>
	for heavy loads, fixed handle and drag rails					
<b>14/6-1 I</b>	630 x 450 x 296	250	2,500	79.0	<b>8050</b>	–
<b>14/6-1 v</b>					–	<b>8060</b>

Order No. = on stock

Order No. = not on stock



# Special perforated versions 14/6 series and accessories made of sheet steel

## Special perforated versions 14/6 series

With ergonomically shaped flip handles on short sides for comfortable handling despite heavy contents. Highly suitable for safe working during transportation, ongoing warehouse operation, or even outside.


Sheet steel, galvanized. Optimal for the washing process and suitable for all shelving systems. Thanks to a robust stacking rim and base, the containers ensure a high level of stability when stacked.

Hole patterns 111




Ao = 8.7%

Hole patterns 112 B



Ao = 24.8%

Hole patterns 113 B



Ao = 19%

For technical data please refer to the table on page A58.

Item	Order no.	Item	Order no.	Item	Order no.
14/6-2 v with hole patterns 111	8800004	14/6-2 v with hole patterns 112 B	8802014	14/6-2 v with hole patterns 113 B	8800014

## Dust lids with finger hole

Galvanized sheet steel. Recommended for intra-company transport of dust-sensitive articles.

PU: 10 items

\* Surface quality: galvanized acc. to DIN EN ISO 1461



Item	for containers	Order No.
SD-14/6-1 v	14/6-1	9320
SD-14/6-A v	14/6-A	9338



SHEET STEEL | SHEET STEEL



# Sheet steel shelf containers



- Designed for SSI SCHAEFER modular shelvings
- Extensive range of order accessories  
labeling and partition options (advantageous for both large and small warehouses)

\* Surface quality: galvanized acc. to DIN EN ISO 1461



Plastic shelf containers


from page A10



## RK 301 Steel, painted blue

can be divided into max. 10 compartments, 6 containers per shelf.


Item	Description (W x D x H mm)	PU	Order No.
RK 301	Shelf container (162 x 317 x 100/137)	1 pc.	<b>11550</b>
RKE 386	Labels for short side	100 pcs.	<b>11190</b>
RKF 386	Protective film	100 pcs.	<b>11920</b>
RKT 335/301	Divider, galvanized	1 pc.	<b>11150</b>



## RK 2386 Steel, galvanized

can be divided into max. 12 compartments, 7 containers per shelf.


Item	Description (W x D x H mm)	PU	Order No.
RK 2386	Shelf container (136 x 393 x 100/107)	1 pc.	<b>18240</b>
RKE 2386	Labels for short side	100 pcs.	<b>11560</b>
RKF 2386	Protective film	100 pcs.	<b>11570</b>
RKT 2386	Divider, galvanized	1 pc.	<b>18250</b>



## RK 4386 Steel, painted blue

can be divided into max. 12 compartments, 6 containers per shelf.


Item	Description (W x D x H mm)	PU	Order No.
RK 4386	Shelf container (162 x 398 x 120/137)	1 pc.	<b>18000</b>
RKE 386	Labels for short side	100 pcs.	<b>11190</b>
RKF 386	Protective film	100 pcs.	<b>11920</b>
RKT 386/512/4386	Divider, galvanized	1 pc.	<b>11180</b>



## RK 386 Steel, painted blue

can be divided into max. 12 compartments, 6 containers per shelf.

Item	Description (W x D x H mm)	PU	Order No.
RK 386	Shelf container (162 x 404 x 120/137)	1 pc.	<b>11170</b>
RKE 386	Labels for short side	100 pcs.	<b>11190</b>
RKF 386	Protective film	100 pcs.	<b>11920</b>
RKT 386/512/4386	Divider, galvanized	1 pc.	<b>11180</b>



## RK 512 Steel, painted blue

can be divided into max. 16 compartments, 6 containers per shelf.

Item	Description (W x D x H mm)	PU	Order No.
RK 512	Shelf container (162 x 504 x 120/137)	1 pc.	<b>16210</b>
RKE 386	Labels for short side	100 pcs.	<b>11190</b>
RKF 386	Protective film	100 pcs.	<b>11920</b>
RKT 386/512/4386	Divider, galvanized	1 pc.	<b>11180</b>



Order No. = on stock

- ▶ **Sheet steel**  
for storage and transport of heavy goods, e.g. solid materials, cast and forged parts
- ▶ **High load capacity**  
due to right-angled profile and strongly compressed walls
- ▶ **Strong base**
- ▶ **Safe stacking**  
as a result of reinforced feet and solid support and stacking corners



\* Surface quality: galvanized acc. to DIN EN ISO 1461


# Transport and stackable containers

## E transport and stacking containers

Transport and stacking containers with solid walls or with flap. Strongly compressed walls with a right-angled profile guarantee high capacity with low empty weight. Extra reinforced feet together with solid catch and stacking corners ensure reliable stacking.

Base version: painted or galvanized, with base ribbing

Ground clearance: 105 mm




Item	Nominal dimensions L x W x H (mm)	External dimensions L x W x H (mm)	Width of fork opening L x W (mm)	Load (kg)	Stacking factor	Order No.	Item	Order No.
<b>1286 K-I*</b>	1,200 x 800 x 605	1,250 x 850 x 670	1,000 x 700	1,500	1 + 4	<b>8590</b>	<b>1286 K-v*</b>	<b>8600</b>
<b>1286-I**</b>	1,200 x 800 x 605	1,250 x 850 x 670	1,000 x 700	1,500	1 + 5	<b>8610</b>	<b>1286-v**</b>	<b>8620</b>
<b>866 K-I*</b>	800 x 600 x 605	850 x 650 x 670	600 x 510	800	1 + 4	<b>8630</b>	<b>866 K-v*</b>	<b>8640</b>
<b>866-I**</b>	800 x 600 x 605	850 x 650 x 670	600 x 510	800	1 + 5	<b>8650</b>	<b>866-v**</b>	<b>8660</b>
<b>186 K-I*</b>	1,000 x 800 x 605	1,050 x 850 x 670	800 x 700	1,500	1 + 5	<b>8470</b>	<b>186 K-v*</b>	<b>8480</b>
<b>186-I**</b>	1,000 x 800 x 605	1,050 x 850 x 670	800 x 700	1,500	1 + 5	<b>8490</b>	<b>186-v**</b>	<b>8500</b>
<b>856 K-I*</b>	800 x 500 x 605	850 x 550 x 670	600 x 410	800	1 + 4	<b>8510</b>	<b>856 K-v*</b>	<b>8520</b>
<b>856-I**</b>	800 x 500 x 605	850 x 550 x 670	600 x 410	800	1 + 5	<b>8530</b>	<b>856-v**</b>	<b>8540</b>
<b>853-I**</b>	800 x 500 x 305	850 x 550 x 370	600 x 410	500	1 + 9	<b>8550</b>	<b>853-v**</b>	<b>8560</b>

\* With flap, \*\* Solid walls

## S transport and stacking containers

Transport and stacking containers for all heavy goods, solid material, cast and forged parts. The side walls have a tube-shaped profile at the top and reinforcing beads. In addition, the containers also feature continuous ribbing around the sides, a strong base, sturdy feet and especially strong stacking corners with crane lugs.

Ground clearance: 100 mm\*  
Ground clearance: 105 mm\*\*




Item	Nominal dimensions L x W x H (mm)	External dimensions L x W x H (mm)	Width of fork opening L x W (mm)	Load (kg)	Stacking factor	Order No.	Item	Order No.
<b>S 1286-I**</b>	1,200 x 800 x 605	1,280 x 880 x 695	1,000 x 600	2,000	1 + 5	<b>8670</b>	<b>S 1286-v</b>	<b>8680</b>
<b>S 1086-I**</b>	1,000 x 800 x 605	1,080 x 880 x 695	800 x 600	2,000	1 + 5	<b>8690</b>	<b>S 1086-v</b>	<b>8700</b>
<b>S 856-I*</b>	800 x 500 x 605	845 x 540 x 665	660 x 330	1,000	1 + 3	<b>8710</b>	<b>S 856-v</b>	<b>8720</b>

## SG transport and stacking containers

Robust and sturdy containers with fork pockets and extra-wide stacking corners.

Ground clearance: 150 mm (SG 1216-I+v and SG 1286-I+v), 120 mm (SG 1086-I+v).



Item	Nominal dimensions L x W x H (mm)	External dimensions L x W x H (mm)	Width of fork opening L x W (mm)	Load (kg)	Stacking factor	Order No.	Item	Order No.
<b>SG 1216-I</b>	1,200 x 1,000 x 650	1,200 x 1,163 x 685	600 x 680	2,000	1 + 4	<b>8730</b>	<b>SG 1216-v</b>	<b>8740</b>
<b>SG 1286-I</b>	1,200 x 800 x 650	1,200 x 963 x 685	600 x 480	2,000	1 + 4	<b>8750</b>	<b>SG 1286-v</b>	<b>8760</b>
<b>SG 1086-I</b>	1,000 x 800 x 620	1,000 x 963 x 655	600 x 600	2,000	1 + 4	<b>8770</b>	<b>SG 1086-v</b>	<b>8780</b>

Boxes / containers

Modular shelving

Longspan racking

Pallet racking

Cantilever racking

Mezzanines / platforms

On-line shelving / KDR shelving

Semi-automated solutions

Logistics systems


Appendix

**i**


**RAL 6011** **SHEET STEEL**

**PAINTED** **GALVANIZED\***

\* Surface quality: galvanized acc. to DIN EN ISO 1461



# Lager-Fix containers, post pallets and flat steel pallets



## Lager-Fix container

These containers utilize the principles and design of the proven Lager-Fix semi-open front storage container. The large viewing and access opening is especially advantageous and remains accessible even when the container is stacked. That is why this container is also utilized for the staging of the material on the production line.

The stacking rim runs around three sides and enables safe stacking of up to 4 units on top of each other. Mixed stacks of different sizes are possible. The right-angled profile and the strongly compressed walls guarantee high load capacity.

Ground clearance 105 mm.  
Height of hopper front 430 mm.


Item	Nominal dimensions L x W x H (mm)	External dimensions L x W x H (mm)	Width of fork opening L x W (mm)	Load (kg)	Stacking factor	Order No.	Item	Order No.
<b>14/7-0a-I</b>	700/490 x 800 x 610	710 x 820 x 610	290 x 720	800	1 + 3	<b>8790</b>	<b>14/7-0a-v</b>	<b>8800</b>

## Post pallets

Clear storage and easy transportation of production and assembly parts with large dimensions that exceed the limited container volume. Stand made of square tube 50 x 50 x 3 mm with welded stacking corners.

Ground clearance 100 mm.

Base reinforced with strong ribbing.



Item	Nominal dimensions L x W x H (mm)	External dimensions L x W x H (mm)	Width of fork opening L x W (mm)	Load (kg)	Stacking factor	Order No.	Item	Order No.
<b>R 1086-I</b>	1,000 x 800 x 600	1,050 x 850 x 665	900 x 700	1,000	1 + 3	<b>9180</b>	<b>R 1086-v</b>	<b>9190</b>
<b>R 1286-I</b>	1,200 x 800 x 600	1,250 x 850 x 665	1,100 x 700	1,000	1 + 3	<b>9200</b>	<b>R 1286-v</b>	<b>9210</b>
<b>R 1216-I</b>	1,200 x 1,000 x 600	1,250 x 1,050 x 665	1,100 x 900	1,000	1 + 3	<b>9220</b>	<b>R 1216-v</b>	<b>9230</b>
<b>R 1089-I</b>	1,000 x 800 x 900	1,050 x 850 x 965	900 x 700	1,000	1 + 2	<b>9240</b>	<b>R 1089-v</b>	<b>9250</b>
<b>R 1289-I</b>	1,200 x 800 x 900	1,250 x 850 x 965	1,100 x 700	1,000	1 + 2	<b>9260</b>	<b>R 1289-v</b>	<b>9270</b>
<b>R 1219-I</b>	1,200 x 1,000 x 900	1,250 x 1,050 x 965	1,100 x 900	1,000	1 + 2	<b>9280</b>	<b>R 1219-v</b>	<b>9290</b>

## Flat steel pallets

4-way entry pallet made with a strong base ripping with 2 or 3 sheet steel skids securely supported by the container profiles.

Alternating stacks due to the flat skids.



Item	Nominal dimensions L x W x H (mm)	Load (kg)	Number of skids	Order No.	Item	Order No.
<b>SP 1282 F-I</b>	1,200 x 800 x 132	1,500	2	<b>9060</b>	<b>SP 1282 F-v</b>	<b>9070</b>
<b>SP 1283 F-I</b>	1,200 x 800 x 132	2,500	3	<b>9080</b>	<b>SP 1283 F-v</b>	<b>9090</b>

**Order No.** = on stock


**Order No.** = not on stock




# Special steel solutions

We can also meet individual customer requirements with our special steel solutions. We would be happy to work with you to develop the perfect solution – completely tailored to your exact needs. From the initial draft by our designers to

the prototypes made by our specialists and right through to series production in our modern factory, we are your expert partner.



Stacking container with bottom slider




Funnel container with slider



Rack for coils



Container with extendable side walls



Long material rack

Boxes /  
containers

Modular  
shelving

Longspan  
racking

Pallet  
racking

Cantilever  
racking

Mezzanines /  
platforms

On-line shelving /  
KDR shelving

Semi-automated  
solutions

Logistics  
systems

Appendix